



Oilfield, Marine & Industrial Safety Suppliers

A full-page photograph of a male worker in an industrial setting. He is wearing a white hard hat, clear safety glasses, large yellow earmuffs, a high-visibility yellow long-sleeved shirt with reflective silver stripes, and white work gloves with yellow accents. He is looking directly at the camera with a serious expression. The background is dark and industrial, with metal structures visible.

**PERSONAL
PROTECTIVE
EQUIPMENT**

About
Al Ghassan Trading W.L.L.
Powering Safety & Excellence Across Bahrain's Core Industries

Welcome to Al Ghassan Trading W.L.L., Bahrain's premier partner for high-performance Oilfield, Marine, and Industrial Safety equipment Supplier, founded on a commitment to uncompromising quality and reliability, we specialize in delivering world-class safety solutions, protective gear, and specialized operational equipment to the region's most demanding sectors. Whether on an offshore rig, in a marine shipyard, or at a major industrial facility, we ensure your workforce and operations are protected by the best technology available.

What We Do

At Al Ghassan Trading W.L.L., we don't just supply products—we deliver peace of mind. We understand that in high-risk environments, gear failure is not an option. That is why we curate a comprehensive inventory of certified Personal Protective Equipment (PPE), gas detection systems, tactical gear, industrial foot protection, and rugged transit solutions.

We bridge the gap between world-leading safety manufacturers and local industry needs, providing tailored supply-chain solutions, competitive pricing, and local technical support.

Our Featured Brand Portfolio

We take immense pride in being an authorized brand distributor and trusted supplier for some of the world's most respected safety, security, and industrial manufacturers;

Pelican Products | Portwest | Honeywell | Base Protection | Giasco | Safariland | Garrett | Ergodyne

Why Choose Al Ghassan Trading?

Unmatched Reliability:

We source exclusively from global leaders adhering to strict international safety standards

Deep Local Expertise

Rooted in the Kingdom of Bahrain
we understand the specific environmental, regulatory, and logistical needs of the Gulf region.

Comprehensive Supply Chain

From single orders to large-scale industrial procurement, our robust stock and distribution network ensure prompt delivery.

Our Promise


"Your Safety is Our Legacy."

We remain dedicated to elevating workplace safety standards across Bahrain's industrial, oil & gas, and maritime landscapes, ensuring every team member returns

PPE

CONTENTS

PPE	12
Respiratory Protection	14
Eye Protection	22
Welding Protection	40
Arc Flash Protection	41
Face Protection & Visors	42
Head Protection	44
Hearing Protection	62
Luggage	68
Knee protection	74



Portwest's PPE range complies with the latest standards, offering the highest level of protection. Designed with comfort in mind, this range of lightweight PPE ensures a pleasant wear even after long hours of use. Your safety is our mission.



P220 19

RESPIRATORY PROTECTION

Our safety range of face masks is designed to offer the most comfortable and best fitting product. A user-friendly range, including disposable masks, half masks and filters. Breathe easier with Portwest.



PS32 34

EYE PROTECTION

Portwest's eye protection range includes spectacles, safety goggles and visors, designed to protect the eyes and face of workers from injury during work activities.



PS54 49

HEAD PROTECTION

Portwest's head protection range aims to benefit our customers by combining the most up to date styles and standards in head protection, irrespective of job or location. Innovative, comfortable and lightweight helmets available for multiple uses.



PW40 45

HEARING PROTECTION

Portwest's hearing protection range includes PPE with different level sound attenuation, to be adapted to various working environments giving the correct protection from dangerous noise, without isolating the workers. This new range of earmuffs offer a variety of models and colours allowing a personalised choice.



S156 76

GENERAL PPE

Portwest's general PPE includes knee protection, lights and accessories. General PPE offers products that are suitable for a variety of applications, with user comfort and safety in mind.

DISPOSABLE MASKS

BIZTEX™

Our Biztex™ brand ensures exceptional quality and performance across our full range of disposable masks. The extensive Biztex range offers a high level of protection and quality safeguarding the wearer against many workplace risks including liquid chemicals, static electricity, dry particles and radioactive contamination. The complete Biztex range includes disposable masks and limited-life garments.

BIZTEX is a trademark of Portwest.




How to Protect Yourself Guideline

	FFP3	FFP2	FFP1
Protection	Protects from solid aerosols and/or liquids listed as toxic.	Protects from slightly toxic or irritating solid aerosols and/or liquids.	Protects from non-toxic dust and/or water-based aerosols.
Examples of Application	Sanding of hard wood (beech, oak), treatment of wood using copper, chrome or arsenic based products, impact stripping of paint, sanding of cement.	Sanding of soft wood, composite materials, rust, putty, plaster, plastics/cutting, milling, grinding, metal drilling.	Handling of stone, rubble, cellulose, concrete drilling.
Substances	Asbestos (without handling it), powered pesticide, biological, pharmaceutical, powder, treated wood, hard wood (exotic), chromium, lime, lead.	Untreated softwood, grinding, cutting, welding, milling, coal, glass fiber, mineral fiber, powdered pesticide, grain dust.	Flour, calcium carbonate (chalk), graphite, cotton, dust concrete.
% Min of Filtration:	99%	94%	80%
Total Inward Leakage (TIL)	2%	8%	22%
Nominal Protection Factor (NPF)	50 x TLV	12,5 x TLV	4,5 x TLV
Assigned Protection Factor (APF)	20 x TLV	10 x TLV	4 x TLV

EAGLE RESPIRATORS

Innovative compact folding masks with 7 dynamic parts providing excellent facial movement with maximum comfort. The EAGLE's mask "wings" open and adapt to the shape of any face, which allows the user to breathe more freely.

Available valved or unvalved, with either class FFP2 or FFP3 protection. All versions have passed the Dolomite optional clogging test (D), offering maximum breathing comfort.



COMPACT FLAT FOLDING MAKING IT EASY TO STORE

P391

P291



EN 149: 2001 + A1:2009
Respiratory Protective Devices - Filtering half masks
to protect against particles

European Standard for filtering half-masks. It contains laboratory tests to check the conformity with resistance to impacts, to cleansers and disinfectants, to temperature, to flame and with respiratory resistance. With A1:2009 amendment, filtering dust masks are now classified as either single use /single shift (NR) or reusable/more than 1 shift (R).

TLV: Contaminant concentration to which the user may be exposed without health effects.

TIL: Total INWARD LEAKAGE - Leakage of the ambient atmosphere into the respiratory interface.

NPF: Nominal Protection Factor -
Nominal level of protection given by respiratory PPE
(in Laboratory conditions).

APF: Assigned Protection Factor - Level of protection
which can realistically be expected in the workplace
conditions.

DOLOMITE TEST (D): Optional test under EN149 for
clogging with dolomite dust. Respirators which pass
the dolomite clogging test are proven to provide a
more comfortable breathing level and longer lasting
performances of filtration. These respirators are
marked with "D" letter.



AS/NZS 1714:2003
Australian and New Zealand Standard for Respiratory
protective devices. The objective of this Standard is
to provide minimum performance and testing criteria
to be observed in the manufacture of respiratory
protective devices.



NIOSH
The National Institute for Occupational Safety and
Health (NIOSH) is responsible for conducting research
and making recommendations for the prevention of
work-related injury and illness. NIOSH is also directly
responsible for several regulations, including 42
CFR Part 84, related to the approval of Respirator
Protective devices.

DISPOSABLE MASK FFP3 FOLD FLAT MASKS



x30
10

UK
CA

CE

D

PP, PU Foam

White

P391

EAGLE FFP3 VALVED DOLOMITE FOLD FLAT RESPIRATOR

EN 149 FFP3 NR D

- 7 ergonomic points which adapt to different face shapes
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Flexible shape which allows the mask to be folded flat
- Individually wrapped inside hygienic polybag
- Adjustable nose bar for improved fit and reduced fogging of glasses
- Foam padding around the nose bridge for additional comfort

PP, PU Foam
White



NEW

x30
20

UK
CA

CE

D

PP, PU Foam

White

P390

EAGLE FFP3 DOLOMITE FOLD FLAT RESPIRATOR

EN 149 FFP3 NR D

- 7 ergonomic points which adapt to different face shapes
- Flexible shape which allows the mask to be folded flat
- Individually wrapped inside hygienic polybag
- Adjustable nose bar for improved fit and reduced fogging of glasses
- Foam padding around the nose bridge for additional comfort
- Dolomite optional clogging test (D) to provide more comfortable breathing and longer lasting filtration performance

PP, PU Foam
White



x30
20

UK
CA

CE

D

PP, PU Foam

White

P351

FFP3 VALVED DOLOMITE FOLD FLAT RESPIRATOR

EN 149 FFP3 NR D

- Special compact vertical fold-flat design
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Ultrasonic welded head straps
- Individually wrapped inside hygienic polybag
- Adjustable nose bar for improved fit and reduced fogging of glasses
- Foam padding around the nose bridge for additional comfort

PP, PU Foam
White



NEW

x30
20

UK
CA

CE

D

PP, PET, Foam

White

P350

FFP3 DOLOMITE FOLD FLAT RESPIRATOR

EN 149 FFP3 NR D

- Special compact vertical fold-flat design
- Ultrasonic welded head straps
- Individually wrapped inside hygienic polybag
- Adjustable nose bar for improved fit and reduced fogging of glasses
- Foam padding around the nose bridge for additional comfort
- Retail box which aids presentation for retail sales

PP, PET, Foam
White

DISPOSABLE MASK FFP3 CUP MASKS



x30
5

P305

FFP3 PREMIUM DOLOMITE RESPIRATOR

EN 149 FFP3 NR D

UK
CA

CE

D

PP, EVA Foam
White

- Excellent fit test performance
- Internal foam gasket ensures a tight face seal
- Wide adjustable head straps for ultimate wearer comfort
- A more generous cup shape than most other FFP3 masks



EXCELLENT FIT TEST
PERFORMANCE

x30
5

P371

ERGONET FFP3 VALVED DOLOMITE RESPIRATOR

EN 149 FFP3 NR D

UK
CA

CE

D

PP, EVA Foam
White

- Ergonet supports the mask structure and keeps the filter media clean
- Internal foam gasket ensures a tight face seal
- Soft nose bridge for a secure and comfortable fit
- Wide adjustable head straps for ultimate wearer comfort



x30
10

P303

FFP3 VALVED DOLOMITE RESPIRATOR

EN 149 FFP3 NR D

UK
CA

CE

D

PP, EVA Foam
White

- Internal foam gasket ensures a tight face seal
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Ultrasonic welded head straps
- Adjustable nose bar for improved fit and reduced fogging of glasses



x30
10

P304

FFP3 VALVED DOLOMITE LIGHT CUP RESPIRATOR

EN 149 FFP3 NR D

UK
CA

CE

D

PP, PU Foam
White

- Adjustable nose bar for improved fit and reduced fogging of glasses
- Foam padding around the nose bridge for additional comfort
- Ultrasonic welded head straps
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions

EXCELLENT FIT TEST
PERFORMANCE



x30
10

P301

FFP3 VALVED RESPIRATOR

EN 149 FFP3 NR

UK
CA

CE

D

PP, EVA Foam
White

- Internal foam gasket ensures a tight face seal
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Wide adjustable head straps for ultimate wearer comfort
- Adjustable nose bar for improved fit and reduced fogging of glasses



EXCELLENT FIT TEST
PERFORMANCE

x6
x9
2

P309

FFP3 VALVED RESPIRATOR - BLISTER PACK (2)

EN 149 FFP3 NR

UK
CA

CE

D

PP, EVA Foam
White

- Internal foam gasket ensures a tight face seal
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Wide adjustable head straps for ultimate wearer comfort
- Conveniently blister packed for retail sales

DISPOSABLE MASK FFP2




P203

FFP2 VALVED DOLOMITE RESPIRATOR

EN 149 FFP2 NR D

- Ultrasonic welded head straps
- Adjustable nose bar for improved fit and reduced fogging of glasses
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Foam padding around the nose bridge for additional comfort

PP, PU Foam
White




P271

ERGONET FFP2 VALVED DOLOMITE RESPIRATOR

EN 149 FFP2 NR D

- Ergonet supports the mask structure and keeps the filter media clean
- Soft nose bridge for a secure and comfortable fit
- 100% metal free
- Foam padding around the nose bridge for additional comfort

PP, EVA Foam
White




P201

FFP2 VALVED RESPIRATOR

AS/NZS 1716 P2 N10SH
EN 149 FFP2 NR

- Ultrasonic welded head straps
- Adjustable nose bar for improved fit and reduced fogging of glasses
- Foam padding around the nose bridge for additional comfort
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions

PP, EVA Foam
White



P200

FFP2 RESPIRATOR

AS/NZS 1716 P2 N10SH
EN 149 FFP2 NR

- Adjustable nose bar for improved fit and reduced fogging of glasses
- Ultrasonic welded head straps
- Foam padding around the nose bridge for additional comfort

PP, EVA Foam
White



P209

FFP2 VALVED RESPIRATOR - BLISTER PACK(3)

EN 149 FFP2 NR

- Ultrasonic welded head straps
- Adjustable nose bar for improved fit and reduced fogging of glasses
- Foam padding around the nose bridge for additional comfort
- Conveniently blister packed for retail sales

PP, EVA Foam
White

DISPOSABLE MASK FFP2



x30
10

P223

FFP2 CARBON VALVED DOLOMITE RESPIRATOR

EN 149 FFP2 NR D

- Activated carbon layer for improved absorption of nuisance odours, organic vapours and welding fumes
- Foam padding around the nose bridge for additional comfort
- Ultrasonic welded elastic strap
- Adjustable nose bar for improved fit and reduced fogging of glasses

PP, Activated Carbon, PU Foam
White



x30
10

P220

FFP2 CARBON VALVED RESPIRATOR

AS/NZS 1716 P2
EN 149 FFP2 NR

- Activated carbon layer for improved absorption of nuisance odours, organic vapours and welding fumes
- Foam padding around the nose bridge for additional comfort
- Ultrasonic welded head straps
- Adjustable nose bar for improved fit and reduced fogging of glasses

PP, Activated Carbon, EVA Foam
White



x30
10

P291

EAGLE FFP2 VALVED DOLOMITE FOLD FLAT RESPIRATOR

EN 149 FFP2 NR D

- 7 ergonomic points which adapt to different face shapes
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Flexible shape which allows the mask to be folded flat
- Individually wrapped inside hygienic polybag

PP, PU Foam
White



NEW

x30
20

P290

EAGLE FFP2 DOLOMITE FOLD FLAT RESPIRATOR

EN 149 FFP2 NR D

- 7 ergonomic points which adapt to different face shapes
- Flexible shape which allows the mask to be folded flat
- Individually wrapped inside hygienic polybag
- Foam padding around the nose bridge for additional comfort

PP, PU Foam
White



x30
20

P251

FFP2 VALVED FOLD FLAT RESPIRATOR

EN 149 FFP2 NR

- Special compact vertical fold-flat design
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Ultrasonic welded head straps
- Individually wrapped inside hygienic polybag

PP, PU Foam
White



x30
20

P250

FFP2 FOLD FLAT RESPIRATOR

EN 149 FFP2 NR

- Special compact vertical fold-flat design
- Ultrasonic welded head straps
- Individually wrapped inside hygienic polybag
- Foam padding around the nose bridge for additional comfort

PP, PU Foam
White

DISPOSABLE MASK FFP1

NON-CE



x60
50

P005

DUST MASK

- Soft and comfortable
- Ideal for all day use
- Large inner space to help the user to breathe more easily
- Retail box which aids presentation for retail sales

PP
White



x30
20

P100

FFP1 RESPIRATOR

AS/NZS 1716 P1
EN 149 FFP1 NR

- Ultrasonic welded head straps
- Foam padding around the nose bridge for additional comfort
- Adjustable nose bar for improved fit and reduced fogging of glasses
- Comfortable cup style respirator

PP, PU Foam
White



x4
x20
1

P108

FFP1 RESPIRATOR BLISTER PACK (3)

EN 149 FFP1 NR

- Ultrasonic welded head straps
- Foam padding around the nose bridge for additional comfort
- Adjustable nose bar for improved fit and reduced fogging of glasses
- Conveniently blister packed for retail sales

PP, PU Foam
White



x30
10

P101

FFP1 VALVED RESPIRATOR

AS/NZS 1716 P1
EN 149 FFP1 NR

- Ultrasonic welded head straps
- Foam padding around the nose bridge for additional comfort
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Adjustable nose bar for improved fit and reduced fogging of glasses

PP, PU Foam
White



x30
20

P153

FFP1 VALVED DOLOMITE FOLD FLAT RESPIRATOR

EN 149 FFP1 NR D

- Special compact vertical fold-flat design
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Foam padding around the nose bridge for additional comfort
- Individually wrapped inside hygienic polybag

PP, PU Foam
White

PACKAGING OPTIONS



HALF MASKS



P410

AUCKLAND HALF MASK

EN 140

- Adjustable quick release harness for supreme comfort and convenience
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Available in 3 sizes (S, M, L) for the perfect fit
- Screw-in filters sold separately
- Compact low profile design for maximum visibility and ease of movement
- Economical half mask made from soft yet durable TPE

TPE
 Blue S-L

**EXCELLENT
FIT TEST
PERFORMANCE**



P410 Filter Selection Guide

Screw-in Filters EN143:2000/EN14387:2004

Code	Filter Type	Class	Box Quantity
P900	Gas Filter	A1	X32 6
P920	Gas Filter	ABEK1	X20 6
P940	Particle Filter	P3R	X32 6
P950	Combination Filter	A1P3R	X32 6
P970	Combination Filter	ABEK1P3R	X32 6

4 STEPS TO CHOOSE THE APPROPRIATE RESPIRATORY PROTECTION.

STEP 1- Identify the Hazard.

SOLID PARTICLES

Dust = Solid particles of several sizes generated by crushing solid materials.

Mist = Particles of evaporated liquid (water or organic basis).

Fumes = Small size particles of evaporated or melted solids, generally coming from combustion.

HAZARD SOLUTIONS

= need a mechanical and electrostatic filter.

FFP1/P2/P3

+ P FILTER

AIRBORNE SUBSTANCES

Gas & Vapors = Substances that are normally airborne. Could be fluid generated by the passage from liquid or solid status to airborne, through evaporation or boiling.

Airborne substances

= need an activated charcoal filter
+ A/B/E/K or combined filter.

STEP 2- Identify the Toxic Agent

STEP 3-Identify the Concentration & Compare with the Exposure Limit.

TLV = contaminant concentration to which the user may be exposed without health effects.

a)Threshold limit value - Time weighted average (TLV-TWA): Average exposure on the basis of a 8h/ day, 40h/week work schedule.

b)Threshold limit value - Short-term exposure limit (TLV-STEL): Spot exposure for a duration of 15 minutes, that cannot be repeated more than 4 times per day with at least 60 minutes between exposure periods.

c)Threshold limit value - Ceiling limit (TLV-C): Absolute exposure limit that should not be exceeded at any time.

STEP 4-Select the Type of protection.

Gas and Vapours Filters		
Type	Colour Code	Application
A		Organic Vapours and Gases with a boiling point of 65C and above (solvents and hydrocarbons).
B		Inorganic Vapours and Gases (excluding Carbon Dioxide/Monoxide)
E		Sulphur Dioxide and other Acidic Vapours and Gases
K		Ammonia and its Organic Ammonia Derivatives Vapours and Gases
Dust and Aerosol Filters		
Type	Colour Code	Application
P3		Protects from solid aerosols and / or liquids listed as toxic.

EYE PROTECTION

PORTWEST eye protection range includes spectacles, safety goggles and visors, designed to protect the eyes and face of the workers from injuries which may occur during working activities.

TECHNICAL SPECTACLES: High performance and cutting edge styles.

SPORT SPECTACLES: Light weight and modern design.

CLASSIC SPECTACLES: Essential PPE safety eyewear styles.

EN 166 Markings

	Lens / Visor	Frame / Holder	Spectacles	Goggles	Visors
MANUFACTURER SYMBOL					
PW: Portwest					
OPTICAL CLASS					
1: Permanent wear (distortion free)					
2: Occasional wear					
3: Brief wear					
MECHANICAL RESISTANCE					
S: Minimal impact resistance (5,1 m/sec)					
F: Low energy impact (45 m/sec)					
B: Medium energy impact (120 m/sec)					
A: High energy impact (190 m/sec)					
T: Impact test at extreme temperature (-5°C/+55°C) OPTIONAL					
CHEMICAL RISKS (OPTIONAL)					
3: Resistance to liquids droplets					
3: Resistance to liquid splashes					
4: Resistance to large dust particles (with > 5µm grain size)					
5: Resistance to gases and fine dust particles (with < 5µm grain size)					
ELECTRICAL RISKS (OPTIONAL)					
8: Short circuit ARC resistance					
THERMAL RISKS (OPTIONAL)					
9: Molten metal splashes and hot solids projections					
LENS TREATMENTS (OPTIONAL)					
K: Resistance to surface damage by fine particles (anti-scratch treatment)					
N: Resistance to fogging of oculars (anti-fog treatment)					

NOTE: It is possible to have surface treatments which are not marked on the lens. These are non-certified treatments, which give the same protection to the lens for an extended period of use:

AS = **K** AS = Anti-Scratch treatment
(corresponds to K);

AF = **N** AF = Anti-Fog treatment
(corresponds to N).



LENS SHADE / APPLICATIONS

	Clear: General purpose lens for use in good visibility conditions, especially indoor.
	Amber/Yellow: Enhanced contrast. Ideal for low light environments, artificially lit areas, foggy and cloudy weather.
	Smoke/Grey: Ideal for sunlight and outdoor.
	Polarized: Stops horizontal reflections, eliminating glare. Ideal for outdoors, driving and around water.
	Mirror: Protection from glare in changing light conditions. Ideal for use when working indoors and outdoors.

If the lens is also tested according to EN 170 (UV FILTERS) or EN 172 (SUN FILTERS FOR INDUSTRIAL USE) it is also marked with a code-scale nr. Example: clear lens (EN 170) are normally marked with 2C-1.2; Smoke lens (EN 172) are mostly marked with code-scale nr 5-3.1. These nr indicate the % of visible light which can pass through the lens, so how clear/smoke is the lens.



EN 166: 2001 Personal Eye Protection

European Standard, applying to all types of individual protection of the eye which protects from hazards likely to damage the eye, except for nuclear radiation, x-rays, laser emissions and infrared emitted by low-temperature sources. Does not apply to eye protection for which separate standards exist (e.g. anti-laser eye protection, sunglasses for general use).

EN 170: 2002 UV Rays Protection European Standard for Ultraviolet Filters

Specifications of level numbers and of requirements relating to the transmittance of the filters for protection against ultraviolet radiation.

EN 172: 1995 Specification For Sunglare Filters Used In Personal Eye-Protection For Industrial Use

Specification of level numbers and requirements relating to the transmittance of filters for protection against solar radiation, industrial use.

EN 175: 1997 Welding Eyes and Face Protectors European Standard for equipment for eye and face protection during welding and allied processes

Specifications for the safety requirements for eye and face protection equipment used to protect the operator's eyes and face against harmful optical radiation and other specific risks or hazards in usual welding, cutting or similar operations.

EN 169: 2002 Personal Eye Protection - Filters for Welding European Standard for Filters for Welding and Related Techniques — Transmittance requirements and recommended use.

Specifications of level numbers and requirements relating to the transmittance of filters to protect operators for welding and related techniques. Specification of requirements for welding filters with double dial number of levels.

EN 1731: 2006 Personal Eye Protection. Mesh Eye and Face Protector.

Material specifications, design, performance and test methods for eye and face mesh protectors, for professional use.

EN 379:2003 + A1:2009 Automatic Welding Filters

Harmonised European standard for automatic welding filters which switch their luminous transmittance to a lower predetermined value when an arc is ignited.



ANSI/ISEA Z87.1:2020 American National Standard - Personal Eye and Face Protective Devices

This standard provides minimum general requirements, test method, selection, use and maintenance of eye and face protection devices.

2 levels of protection:
Z87 marking = "Basic Impact"
Z87+ marking = "High Impact"

WATER AND OIL REPELLENT, ANTI SMUDGE COATING

OLEOPHOBIC
TECHNOLOGY



STANDARD LENS



ENHANCED OLEOPHOBIC LENS

Portwest's oleophobic eye protection styles feature an oil-repellent, thin-film coating which creates a resistant surface that is impervious to dirt, dust, oils, and other particulates. This results in an easy to clean surface that also maintains a cleaner surface for longer than if untreated.

BENEFITS:

Workers can work more efficiently in wet outdoor conditions as lenses do not need to be wiped as frequently. Anti-fog coating can additionally be applied to the inner side of the lens for an even clearer, unrestricted vision increasing work safety.

APPLICATIONS:

Typical Applications include

- Oil and gas industry
- Construction industry
- Manufacturing industry
- Spray-/Painters
- Outdoor sports (e.g., paintball)

OLEOPHOBIC EYE PROTECTION

288
12

PS09

IMPERVIOUS TECH SPECTACLES

EN 166 1 FT

EN 170 2C-1.2

EN 172 5-3.1

UK
CA

CE

AF

AS

100% METAL FREE

100% METAL FREE

100% METAL FREE

- Oleophobic and dirt repellent lens treatment helping to keep the lens clean and vision intact
- Dual use with classic arms or with wide elastic band
- Detachable foam offers additional protection against shocks and dust
- Flexible arms for ultra comfort
- Soft arms tips for ultra comfort
- 100% metal free

Polycarbonate, Nylon, EVA Foam
46g

Clear, Smoke

ATTACHABLE ELASTIC BAND FOR A SECURE FIT



DETACHABLE FOAM
BACK



OLEOPHOBIC AND DIRT REPELLENT LENS TREATMENT

144
12

PS29

IMPERVIOUS SAFETY GOGGLE

EN 166 1 B 3

EN 170 2C-1.2

AS/NZS 1337.1

UK
CA

CE

AF

AS

100% METAL FREE

100% METAL FREE

100% METAL FREE

- Oleophobic and dirt repellent lens treatment helping to keep the lens clean and vision intact
- Indirect ventilation
- Adjustable strap fastening for flexible sizing
- 100% metal free
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer

Polycarbonate, PP, TPR, Polyester,
Nylon 70g

Clear



INNOVATIVE DESIGN

ADD PRESCRIPTION LENSES TO YOUR SAFETY EYEWEAR

PS03 FOCUS SPECTACLES



Portwest's PS03 Focus Spectacles provide unrivalled flexibility, offering the wearer many adjustment options. These spectacles are comfortable and built for all day use, with the addition of an inner foam gasket offering enhanced eye protection. The PA13 RX Focus Support insert allows wearers of prescription glasses to add corrective lenses as required. Any optician will be able to fit the user's own prescription lenses into the RX focus support. The combination of the PS03 Focus Spectacles and the PA13 RX Focus Support presents a simple and cost-effective alternative to prescription safety glasses.

**WIDE MONOBLOC
POLYCARBONATE
LENS FOR
UNRESTRICTED
VISION**

**CLEAR AND SMOKE
LENS TINTS
AVAILABLE**

SPECTACLES

288
12

PS03

FOCUS SPECTACLES

EN 166 1 F

EN 172 5-3.1

UK
CA

CE

AF

AS

AS

AS

AS

- Wrap-around style for panoramic view
- Detachable foam offers additional protection against shocks and dust
- Removable RX insert for prescription lenses available separately
- Inclined side arms for optimum fit
- Extendable side arms for secure and comfortable fit
- Excellent side protection

Polycarbonate, Nylon, EVA Foam 42g
Clear, Smoke

ADJUSTABLE AND
EXTENDABLE ARMS



288
48

PA13

RX FOCUS SUPPORT

- Removable RX insert for prescription lenses available separately
- To be worn with PS03 Focus Spectacles
- 3 adjustable positions for ideal fit
- Lightweight and comfortable
- Cost-effective RX solution
- CE certified

Polycarbonate 4g
Black



REMOVABLE RX INSERT
FOR PRESCRIPTION LENSES
AVAILABLE SEPARATELY

288
12

PS30

PORTWEST OVER-SPECTACLES

EN 166 1 FT

EN 170 2C-1.2

EN 172 5-3.1

ANSI/ISEA Z87.1

AS/NZS 1337.1

UK
CA

CE

AS

AS

AS

- Single panoramic lens glasses
- Lightweight wrap-around design
- Excellent side protection
- Inclined side arms for optimum fit
- Extendable side arms for secure and comfortable fit
- Suitable for wearing over most prescription glasses

Polycarbonate, Nylon 33g
Clear, Smoke

ADJUSTABLE AND
EXTENDABLE ARMS

NEW
COLOUR



SPECTACLES

NEW
COLOUR

NEW
COLOUR

288
12

PS11

TECH LOOK PLUS SPECTACLES

EN 166 1 FT
EN 170 2C-1.2
EN 172 5-1.7
EN 172 5-3.1

ANSI/ISEA Z87.1 +
ANSI/ISEA Z87.1 + U6L3

- Dual use with classic arms or with wide elastic band
- Detachable foam offers additional protection against shocks and dust
- Flexible arms for ultra comfort
- Soft arms tips for ultra comfort
- 100% metal free
- Side vents for added comfort

Polycarbonate, Nylon, EVA Foam 46g
Amber, Clear, Mirror, Smoke



DETACHABLE
FOAM BACK



288
12

PS12

TECH LOOK SPECTACLES

EN 166 1 FT
EN 170 2C-1.2
EN 172 5-1.7
EN 172 5-3.1

ANSI/ISEA Z87.1 +
ANSI/ISEA Z87.1 + U6L3

- Ultra lightweight for long uses
- Flexible arms for ultra comfort
- Soft arms tips for ultra comfort
- 100% metal free
- Side vents for added comfort
- Dual material side arms

Polycarbonate, Nylon 30g
Amber, Clear, Mirror, Smoke

NEW
COLOUR

NEW
COLOUR



288
12

PW11

LEVO SPECTACLES

EN 166 1 FT
EN 170 2C-1.2
EN 172 5-1.7
EN 172 5-3.1

ANSI/ISEA Z87 +
ANSI/ISEA Z87 + U6 L3

- Dual use with classic arms or with wide elastic band
- Detachable foam offers additional protection against shocks and dust
- 100% metal free
- Excellent ventilation through indirect vents in the back foam
- Anti-scratch coating for added durability
- 99% UV protection

Polycarbonate 41g
Clear, Smoke



DETACHABLE
FOAM BACK



SPECTACLES

NEW

288
12

PS17

BLUE LIGHT BLOCKER SPECTACLES

EN 166 1 S
EN 172 5-1.4

UK
CA

CE

AS

AS

AS

AS

- Helps to reduce eye fatigue and enhances contrasts
- Soft nose bridge for a secure and comfortable fit
- Slim side arms for optimum comfort when working with ear defenders
- Soft arms tips for ultra comfort
- Lightweight and comfortable
- Anti-scratch coating for added durability

Polycarbonate, TPR 25g
Brown



288
12

PS18

POLAR STAR SPECTACLES

EN 166 1 FT
EN 172 5-3.1
AS/NZS 1337.1

UK
CA

CE

AS

AS

AS

AS

- Polarised lens eliminates horizontal reflections and harsh glares
- Helps to reduce eye fatigue and enhances contrasts
- Anti-scratch surface coating intended to mitigate scratch effects on the lens
- Soft arm tips and rubber nose-bridge for ultra comfort
- Lightweight wrap-around design
- 99% UV protection

Polycarbonate, TPR 29g
Smoke



POLARISED
LENS

288
12

PS35

ULTRA LIGHT SPECTACLES

EN 166 1 FT
EN 170 2C-1.2

UK
CA

CE

AS

AS

AS

AS

- Ultra lightweight for long uses
- Lightweight wrap-around design
- Slim side arms for optimum comfort when working with ear defenders
- Single panoramic lens glasses
- 100% metal free
- Anti-scratch coating for added durability

Polycarbonate 17g
Clear



NEW

SPECTACLES

288
12

UK
CA

CE

N

K

Polycarbonate

Clear, Smoke

PS04

DEFENDER SAFETY SPECTACLES

EN 166 1 FT K, N

EN 170 2C-1.2

EN 172 5-3.1

- Inclined side arms for optimum fit
- Soft arm tips and rubber nose-bridge for ultra comfort
- Lightweight wrap-around design
- Ultra lightweight for long uses
- Anti-scratch high level treatment coating, certified and marked with K on the lens
- Anti-fog high level treatment coating, certified and marked with N on the lens

Polycarbonate 29g

Clear, Smoke

INCLINABLE
SIDE ARMS



288
12

UK
CA

CE

AS

Polycarbonate

Clear, Smoke

PW15

FOSSA SPECTACLES

EN 166 1 FT

EN 170 2C-1.2

EN 172 5-3.1

ANSI/ISEA Z87 +

ANSI/ISEA Z87 + U6 L1.7

- Ultra lightweight for long uses
- Excellent side protection
- Soft arms tips for ultra comfort
- Lightweight wrap-around design
- Anti-scratch coating for added durability

Polycarbonate 24g

Clear, Smoke



288
12

UK
CA

CE

AF

AS

Polycarbonate

Clear, Smoke

PW14

LITE SAFETY SPECTACLES

EN 166 1 F

EN 170 2C-1.2

EN 172 5-3.1

ANSI/ISEA Z87 + U6

ANSI/ISEA Z87 + U6 L3

AS/NZS 1337.1

- Ultra lightweight for long uses
- Lightweight wrap-around design
- Larger fitting size
- Slim side arms for optimum comfort when working with ear defenders
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer

Polycarbonate 23g

Clear, Smoke



SPECTACLES

288
12

PS06

PARIS SPORT SPECTACLES

EN 166 1 F

EN 172 5-3.1

AS/NZS 1337.1

AF

AS

UK
CA

CE

- Soft arm tips and rubber nose-bridge for ultra comfort
- Lightweight wrap-around design
- Excellent side protection
- Side vents for added comfort
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer

Polycarbonate, TPR 29g

Clear

Smoke



288
12

PS07

SAINT LOUIS SPECTACLES

EN 166 1 F

EN 172 5-3.1

AS/NZS 1337.1

AF

AS

UK
CA

CE

- Soft arm tips and rubber nose-bridge for ultra comfort
- Single panoramic lens glasses
- Stylish dual colour side arms
- Slim side arms for optimum comfort when working with ear defenders
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer

Polycarbonate, TPR 31g

Clear, Smoke



288
12

PW37

BOLD PRO SPECTACLES

EN 166 1 S

EN 170 2C-1.2

AF

AS

UK
CA

CE

- Soft arm tips for ultra comfort
- Soft nose bridge for a secure and comfortable fit
- Lightweight and comfortable
- Slim side arms for optimum comfort when working with ear defenders
- Stylish dual colour side arms
- Anti-scratch coating for added durability

Polycarbonate, TPR 26g

Clear lens blue temple,
Clear lens orange temple,
Clear lens red temple



SPECTACLES

288
12

UK
CA

CE

AF

AS

AS/NZS 1337.1

AS/NZS 1337.1

AS/NZS 1337.1

PW13

CLEAR VIEW SPECTACLES

EN 166 1 F
EN 170 2C-1.2
EN 172 5-3.1
ANSI/ISEA Z87 + U6
ANSI/ISEA Z87 + U6 L3
AS/NZS 1337.1

- Ultra lightweight for long uses
- Wrap-around style for panoramic view
- One piece curved lens with moulded nose-bridge
- Excellent side protection
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer

Polycarbonate 27g
Clear, Smoke



288
12

UK
CA

CE

AS

AS/NZS 1337.1

AS/NZS 1337.1

AS/NZS 1337.1

PW39

EXTRA WRAP AROUND SPECTACLES

EN 166 1 FT
EN 170 2C-1.2
EN 172 5-3.1
AS/NZS 1337.1

- Lightweight wrap-around design
- Single panoramic lens glasses
- Excellent side protection
- Dual material side arms
- Soft nose bridge for a secure and comfortable fit
- Anti-scratch coating for added durability

Polycarbonate 28g
Clear, Smoke



288
12

UK
CA

CE

AS

AS/NZS 1337.1

AS/NZS 1337.1

AS/NZS 1337.1

PW38

PAN VIEW SPECTACLES

EN 166 1 FT
EN 170 2C-1.2
EN 172 5-3.1
ANSI/ISEA Z87 +
ANSI/ISEA Z87 + U6 L3

- Single panoramic lens glasses
- Lightweight wrap-around design
- Soft arm tips and rubber nose-bridge for ultra comfort
- Slim side arms for optimum comfort when working with ear defenders
- Stylish dual colour side arms
- Anti-scratch coating for added durability

Polycarbonate 24gm
Smoke, Clear, Clear/Orange, Smoke/Orange



SPECTACLES - ADJUSTABLE SIDE ARMS

288
12

PW31

CONTOURED SAFETY SPECTACLES

EN 166 1F

AS/NZS 1337.1

- Single panoramic lens glasses
- Excellent side protection
- Adjustable angle allowing for better fit
- Extendable side arms for secure and comfortable fit
- Lightweight and comfortable
- Anti-scratch coating for added durability



Polycarbonate 32g
Clear



288
12

PW35

SAFEGUARD SPECTACLES

EN 166 1F

EN 170 2C-1.2

- Single panoramic lens glasses
- Excellent side protection
- Extendable side arms for secure and comfortable fit
- Adjustable angle allowing for better fit
- Lightweight and comfortable
- Anti-scratch coating for added durability



Polycarbonate, Nylon 29g
Clear



288
12

PW17

CURVO SPECTACLES

EN 166 1F

EN 170 2C-1.2

- Single panoramic lens glasses
- Lightweight wrap-around design
- Extendable side arms for secure and comfortable fit
- Soft nose bridge for a secure and comfortable fit
- Anti-scratch coating for added durability
- 99% UV protection



Polycarbonate 26g
Clear



SPECTACLES - WRAP AROUND

PR32 WRAP AROUND PRO SPECTACLES

300
12

UK
CA

CE

AF

AS

AS/NZS 1337.1

Polycarbonate, Rubber 26g

Amber, Clear, Smoke

Mirror

EN 166 1 FT
EN 170 2C-1.2
EN 172 5-3.1
EN 172 5-1.7

- Single panoramic lens glasses
- Lightweight wrap-around design
- Excellent side protection
- Stylish dual colour side arms
- Flexible arms for ultra comfort
- Soft arms tips for ultra comfort

NEW
COLOUR

NEW
COLOUR



PS32 WRAP AROUND PLUS SPECTACLES

300
12

UK
CA

CE

AF

AS

ANSI/ISEA Z87 + U6

AS/NZS 1337.1

Polycarbonate 28g

Amber, Clear, Smoke

Mirror

EN 166 1 FT
EN 170 2C-1.2
EN 172 5-3.1
EN 172 5-1.7

- Single panoramic lens glasses
- Detachable foam offers additional protection against shocks and dust
- Lightweight wrap-around design
- Flexible arms for ultra comfort
- Soft arms tips for ultra comfort
- Excellent side protection

NEW
COLOUR

NEW
COLOUR



DETACHABLE
FOAM BACK



PW32 WRAP AROUND SPECTACLES

300
12

UK
CA

CE

AF

AS

ANSI/ISEA Z87 + U6

ANSI/ISEA Z87 + U6 L3

AS/NZS 1337.1

EN 166 1 FT
EN 170 2C-1.2
EN 172 5-3.1
EN 172 5-1.7

- Single panoramic lens glasses
- Lightweight wrap-around design
- Flexible arms for ultra comfort
- Mirror suitable for indoor and outdoor use
- Stylish dual colour side arms
- Excellent side protection

Polycarbonate 22g
Clear lens clear temple,
Clear lens black temple,
Clear lens hi-vis orange temple,
Smoke lens black temple
Mirror lens clear temple



SPECTACLES

300
12

PS34

NEON SAFETY SPECTACLES

EN 166 1 FT
EN 170 2C-1.2
EN 172 5-3.1

- One piece curved lens with moulded nose-bridge
- Highly durable and impact resistant
- Stylish dual colour side arms
- Lightweight and comfortable
- Flexible arms for ultra comfort
- Extendable side arms for secure and comfortable fit

AS

UK
CA

CE

Polycarbonate, Nylon, TPR 28g
Clear, Smoke



280
12

PW34

PROFILE SAFETY SPECTACLES

EN 166 1 F
EN 172 5-3.1
ANSI/ISEA Z87.1 +
ANSI/ISEA Z87.1 + U6 L3

- Countour wrap-around design glasses
- One piece curved lens with moulded nose-bridge
- Flexible arms for ultra comfort
- Soft arms tips for ultra comfort
- Lightweight and comfortable
- Anti-scratch coating for added durability

AS

UK
CA

CE

Polycarbonate 28g
Amber, Clear, Smoke



300
12

PW18

UMBRA POLARISED SPECTACLES

EN 166 1 F
EN 172 5-3.1
AS/NZS 1337.1

- Polarised lens eliminates horizontal reflections and harsh glares
- Lightweight wrap-around design
- Adjustable angle allowing for better fit
- Adjustable length for a secure and comfortable fit
- 99% UV protection

AS

UK
CA

CE

Polycarbonate 32g
Smoke



SPECTACLES

288
12

UK
CA

CE

AS

AS

AS

AS

AS

PW33

CLASSIC SAFETY SPECTACLES

EN 166 1 FT
EN 170 2C-1.2
EN 172 5-3.1
ANSI/ISEA Z87 +
ANSI/ISEA Z87 - S
ANSI/ISEA Z87 U6

- Single panoramic lens glasses
- Wrap-around style for panoramic view
- Excellent side protection
- Extendable side arms for secure and comfortable fit
- Available in multiple colourways
- Anti-scratch coating for added durability

Polycarbonate 32g
Clear lens black temple,
Clear lens blue temple,
Smoke lens black temple,
Amber lens black temple

ADJUSTABLE
ARM LENGTH



288
12

UK
CA

CE

AF

AS

AS

AS

AS

PS33

CLASSIC SAFETY PLUS SPECTACLES

EN 166 1 FT
EN 170 2C-1.2
ANSI/ISEA Z87

- Single panoramic lens glasses
- Excellent side protection
- Wrap-around style for panoramic view
- Extendable side arms for secure and comfortable fit
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer

Polycarbonate 32g
Clear

ADJUSTABLE
ARM LENGTH



288
12

UK
CA

CE

AS

AS

AS

AS

PW30

VISITOR SAFETY SPECTACLES

EN 166 1 F
EN 170 2C-1.2
ANSI/ISEA Z87

- Single panoramic lens glasses
- Excellent side protection
- Transparent colour for better side visibility
- Suitable for wearing over most prescription glasses
- Moulded side shield and browguard for optimised protection against impacts
- Anti-scratch coating for added durability

Polycarbonate 41g
Clear



EYE PROTECTION ACCESSORIES



x20
100

PA30 SPECTACLES CORD

- Elasticated spectacles cord
- Adjustable length for a secure and comfortable fit
- Universal holder to fit most spectacles

~~~~~ Nylon, Rubber  
~~~~~ Black  
~~~~~ 68cm



x20  
100

## PA31 SPECTACLES BAG

- Drawstring spectacles bag
- For storage and cleaning of safety glasses
- Made of microfibre

~~~~~ Microfibre  
~~~~~ Black  
~~~~~ 10cm x 20cm



PLASTIC
FREE WIPES

10

PA01 LENS CLEANING WIPES

- Supplied in a handy portable dispenser box
- Low linting construction for minimal contamination
- Each towelette individually wrapped
- Silicone free - Ideal for manufacturing, paint applications, electronics and glass handling where silicone is problematic
- Anti-static and anti-fog formula
- 100 towelettes per box

~~~~~ 159g  
~~~~~ White  
~~~~~ 13x20cm

LOW LINT



PLASTIC  
FREE WIPES

10

## PA02 LENS CLEANING STATION

- Supplied in handy 'ready-to-hang' dispenser
- Low linting construction for minimal contamination
- Anti-static and anti-fog formula
- Suitable for all Portwest safety eyewear
- Silicone free - Ideal for manufacturing, paint applications, electronics and glass handling where silicone is problematic

~~~~~ 363g  
~~~~~ White

LOW LINT



# SAFETY GOGGLE

144  
12

UK  
CA

CE

N

K

AF

AS

## PW25

### ULTRA VISTA GOGGLE UNVENTED

EN 166 1 BT 3 4 5 K N  
EN 170 2C-1.2

- Single panoramic lens glasses
- Suitable for wearing over most prescription glasses
- Anti-scratch high level treatment coating, certified and marked with K on the lens
- Anti-fog high level treatment coating, certified and marked with N on the lens
- Adjustable elastic headband for a perfect fit
- Protects from fluid and splashes

Polycarbonate 114g  
Clear



144  
12

UK  
CA

CE

AF

AS

AF

AS

## PW24

### ULTRA VISTA GOGGLE

EN 166 1 BT 3  
EN 170 2C-1.2  
AS/NZS 1337.1

- Single panoramic lens glasses
- Suitable for wearing over most prescription glasses
- Adjustable elastic headband for a perfect fit
- Protects from fluid and splashes
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer

Polycarbonate 113g  
Clear



144  
12

UK  
CA

CE

AF

AS

AF

AS

## PW26

### SLIM SAFETY GOGGLE

EN 166 1 B 3 4  
EN 170 2C-1.2  
AS/NZS 1337.1

- Lightweight wrap-around design
- Superior front and side face protection
- Back foam ventilation and lens treatment prevents misting and fogging of the ocular
- Adjustable dual pin system provides multiple positioning for better fit
- Adjustable elastic headband for a perfect fit
- Protects from fluid and splashes

Polycarbonate 49g  
Clear



# GOGGLE



144  
12

**PW22**

## CHALLENGER GOGGLE

EN 166 1 B

EN 170 2C-1.2

UK  
CA

CE

AF

AS

Polycarbonate, PVC 116g

Clear

- Single panoramic lens glasses
- Flexible PVC frame for ultra comfort
- Indirect ventilation
- Adjustable elastic headband for a perfect fit
- Excellent side protection
- 99% UV protection



200  
20

**PS21**

## PORTWEST CHEMICAL GOGGLE

EN 166 1 FN 3

UK  
CA

CE

N

AS

Cellulose Acetate, PVC, PP 62g

Clear

- Chemical resistant
- Indirect ventilation
- Flexible PVC frame for ultra comfort
- Ultra lightweight for long uses
- 100% metal free
- Anti-fog high level treatment coating, certified and marked with N on the lens



200  
20

**PW21**

## INDIRECT VENT GOGGLE

EN 166 1 B 3

ANSI/ISEA Z87.1

UK  
CA

CE

AS

Polycarbonate, PVC 78g

Clear

- Indirect ventilation
- Flexible PVC frame for ultra comfort
- Adjustable elastic headband for a perfect fit
- Ultra lightweight for long uses
- Protects from fluid and splashes
- Excellent side protection



200  
20

**PW20**

## DIRECT VENT GOGGLE

EN 166 1 B

ANSI/ISEA Z87 +

UK  
CA

CE

AS

Polycarbonate, PVC 53g

Clear

- Direct ventilation
- Lightweight wrap-around design
- Flexible PVC frame for ultra comfort
- Adjustable elastic headband for a perfect fit
- Excellent side protection
- Lightweight and comfortable



# WELDING PROTECTION



## PW65

### BIZWELD PLUS WELDING HELMET

EN 166 1 S  
EN 175 F  
EN 379 4 / 9-13 1/1/1/2

- Wheel ratchet size adjustment for easy fitting
- Solar cell power with two built-in lithium back-up batteries and a working time of over 5000 hours
- Superior optical quality LCD filter
- Auto-darkening, switches from light to dark when the welding process starts
- Suitable to be worn with disposable respirators
- Suitable for a wide range of applications

~~~~~ Polyethylene, PP, Nylon 500g  
■■■■■ Black



PW66

BIZWELD PLUS REPLACEMENT LENS

- Replacement front lenses for welding helmet PW65
- Sold in packs of 5
- CE certified
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines



~~~~~ Polycarbonate  
■■■■■ Clear  
11.4cm x 9cm



## PW60

### GAS WELDING GOGGLE

EN 166 1 F  
EN 169 SHADE 5  
EN 175 F

- Indirect ventilation
- Flexible PVC frame for ultra comfort
- Can be put in stand-off position for intermittent use
- Adjustable elastic headband for a perfect fit
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer

~~~~~ PVC, Polycarbonate, Elastic 143g  
■■■■■ Bottle Green



PW68

WELDING SAFETY SPECTACLES

EN 166 1 F
EN 169 SHADE 5

- Single panoramic lens glasses
- Extendable side arms for secure and comfortable fit
- Excellent side protection
- Moulded side shield and browguard for optimised protection against impacts
- 99% UV protection
- Anti-scratch coating for added durability

~~~~~ Polycarbonate 32g  
■■■■■ Bottle Green

# ARC FLASH PROTECTION



**PS91**

## ARC FLASH VISOR CLASS 2

EN 166 1 B 8 3

EN 170 2C-1.4

GS-ET-29 CLASS 2 B-2-1

ASTM F2178 12 CAL / CM²

NFPA® 70E PPE CATEGORY



- Superior front and side face protection
- Universal slot adapter
- Can be put in stand-off position for intermittent use
- Chin guard for enhanced protection
- Protection from 7kA electric arc flash
- To be used with non-vented, category III helmets



Polycarbonate, Nylon 350g  
Green



**PS90**

## ARC FLASH VISOR CLASS 1

EN 166 1 B 8 3

EN 170 2C-1.2

GS-ET-29 CLASS 1 B-1-0



- Superior front and side face protection
- Can be put in stand-off position for intermittent use
- Universal slot adapter
- Protection from 4kA electric arc flash
- To be used with non-vented, category III helmets
- CE-CAT III



Polycarbonate, Nylon 250g  
Clear



REDUCE THE DAMAGING EFFECTS OF ELECTRIC ARC



# FACE PROTECTION



## PW90

### PPE PROTECTION KIT

EN 166 1 B / 3 B

EN 352-1 SNR 28DB

- Browguard-visor combination with headband ear defenders
- Durable Polycarbonate visor with 1mm thickness
- Clear visor for medium-energy impact protection
- Ear defenders clip into headgear securely
- Soft foam sweat band included
- Wheel ratchet size adjustment for easy fitting

Polycarbonate, PP, Nylon, ABS, Polyoxymethylene, PVC 450g

Yellow



## TOTAL PROTECTION FROM HIGH SPEED PARTICLES



## PW91

### BROWGUARD WITH CLEAR VISOR

EN 166 1 B / 3 B

- Durable Polycarbonate visor with 1mm thickness
- Clear visor for medium-energy impact protection
- Wheel ratchet size adjustment for easy fitting
- Soft foam sweat band included
- Replacement visor available
- Adjustable angle allowing for better fit

Polycarbonate, PP, Nylon 250g  
Clear  
20cm x 40cm



## PW93

### BROWGUARD WITH MESH VISOR

EN 1731 F

- Browguard with stainless steel wire mesh visor
- For low-energy impact protection
- Wheel ratchet size adjustment for easy fitting
- Soft foam sweat band included
- Replacement visor available
- Simple and secure visor replacement

Galvanised Carbon Steel, PP, Nylon 250g  
Black  
20cm x 40cm



## PW96

### FACE SHIELD PLUS

EN 166 1 BT 3.9

ANSI/ISEA Z87 +

- Browguard including clear polycarbonate visor with aluminum edge
- Protects from impacts, metal splashes and hot solid projections
- Suitable for a wide range of applications
- Wheel ratchet size adjustment for easy fitting
- Replacement visor available
- Simple and secure visor replacement

Polycarbonate, Aluminium 320g  
Clear  
20cm x 40cm

# VISOR

NEW



## PS95

### VISOR WITH CHIN GUARD

EN 166 1 BT / 3 BT

- Durable Polycarbonate visor with 1mm thickness
- Clear visor for medium-energy impact protection
- Chin guard for enhanced protection
- CE certified
- Retail bag which aids presentation for retail sales



Polycarbonate, ABS 170g  
Clear  
18cm x 39cm



## PW92


### REPLACEMENT CLEAR VISOR

EN 166 1B

- Durable Polycarbonate visor with 1mm thickness
- Clear visor for medium-energy impact protection
- For use with Portwest browguards PW90 / PW91
- CE certified
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines



Polycarbonate  
Clear  
20cm x 40cm



## PW94

### REPLACEMENT MESH VISOR

EN 1731 F

- Stainless steel wire mesh visor
- For low-energy impact protection
- Compatible with Portwest browguard PW93 and visor carriers PSS8 and PW58 for use on helmets
- CE certified
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines



Galvanised Carbon Steel, PP 100g  
Black  
20cm x 40cm



## PW99

### REPLACEMENT SHIELD PLUS VISOR

EN 166 1 BT 9

ANSI/ISEA Z87 +

- Durable Polycarbonate visor with 1mm thickness
- Clear visor aluminium bound
- For medium-energy impact protection
- Protects from impacts, metal splashes and hot solid projections
- Replacement visor to be used on PW96 browguard support



Polycarbonate, Aluminium  
Clear  
20cm x 40cm



# SAFETY HELMETS

The rapidly expanding Portwest head protection range aims to benefit wearers by combining the most up-to-date styles with the highest standards in head protection, irrespective of job or location.

A wide selection of compatible accessories is also available. A full explanation of features and performances are given in order to help you make a more informed choice.



# CHOOSE THE RIGHT ACCESSORIES FOR YOUR HELMET

|                                                                                     | Collection          | HELMET STYLE CODE                             | Chin strap 2 points | Chin strap 4 points | Sweat band | Visor holder | Clip on ear muff       |
|-------------------------------------------------------------------------------------|---------------------|-----------------------------------------------|---------------------|---------------------|------------|--------------|------------------------|
|    | PEAKVIEW            | PV50/<br>PV60/PV64                            | PW53                | /                   | /          | PS58         | PW47/PS47              |
|    | ENDURANCE           | PW54/PS54<br>PW55/PS55<br>PG54/PC55 PB55/PW98 | PW53                | PA48                | PA45/PA55  | PS58         | PW62/PS45<br>PW47/PS47 |
|    | HEIGHT<br>ENDURANCE | PS53/PS63<br>PS73                             | /                   | PA49                | PA45/PA55  | PS58         | PW62/PS45<br>PW47/PS47 |
|    | SKYVIEW             | PV74                                          | /                   | /                   | PA45/PA55  | PW58         | /                      |
|    | MONTEROSA           | PW97                                          | /                   | /                   | /          | PS58         | /                      |
|    | FULL BRIM           | PS52                                          | /                   | /                   | /          | /            | /                      |
|  | EXPERTBASE          | PW50/ PW51 PS57                               | PW53                | PA47                | PA44       | PW58         | PW62/PS42/<br>PS45     |
|  | ARROW               | PS50                                          | PW53                | /                   | /          | PW58         | /                      |



## EN 397: 2012 Industrial Safety Helmets Mandatory tests:

• **Impact\***: Energy spread to the head form must not exceed 5 kJ after the fall of an object of 5 kg at 1m high.

• **Penetration\***: The tip of the test mass used (3 kg from 1m height) must not come into contact with the skull.

• **Flammability**: The helmet is exposed to a flame and it must not burn with flame emission more than 5 seconds after removal of the flame.

\* Impact and penetration tests are performed at room temperature, at +50 °C and at -10 °C.

### Optional tests:

• **Resistance at extreme temperatures**: testing impact and penetration are performed at +150 °C, at -20 °C or -30 °C temperatures.

### • Electrical properties:

Protects against a short accidental contact with electric leads under voltage up to 440 Vac.

### • Lateral deformation:

Protects against lateral compression. The maximum deformation of the helmet should be ≤40 mm (LD).

### • Molten metal splashes:

The helmet is not deformed or penetrated by splashes of molten metal (MM).



## EN 50365: 2002 Insulating helmets for use on low voltage installations

This standard is for helmets used for working live or close to live parts on installations not exceeding 1000 V a.c. or 1500 V d.c. Testing to EN 50365 exceeds testing under EN397 for electrical properties. Marking: double triangle + class + batch number.

## EN 12492: 2012

### Helmets for mountaineers

This standard covers specialist mountaineers' helmets and it includes tests on helmet retention strength and effectiveness to ensure the helmet is not inadvertently removed. To reflect the nature of

the use, impact and penetration tests are conducted on different points around the shell. Mountaineer requirements also apply to wearers working at height.



## ANSI/ISEA Z89.1: 2014 American National Standard for Industrial Head Protection

**TYPE I** - Hard hats are designed only to withstand top impacts.

**TYPE II** - Hard hats designed to withstand impacts from the top and the side.

**Class C** - Conductive Helmet = the hard hat will not protect the wearer from electrical hazards.

**Class G** - General Helmet = helmet can withstand an electrical current up to 2,200 volts.

**Class E** - Electrical Helmet = helmet that providing the highest level of electrical protection, withstanding currents up to 20,000 volts.



# PEAKVIEW™

## TRANSLUCENT HELMET

The Peak View Hard Hat is a Portwest exclusive design and patented model. The translucent shell and see through peak and sides allow the wearer to look upwards without the need to tilt the head. The extra strong yet ultra light weight polycarbonate shell offers UV ray protection. This innovative, market leading design is available in 4 style options that come in 8 colour ways. Peakview is the safest and most comfortable solution for your head protection.

PEAKVIEW is a trademark of Portwest.

**MAXIMUM PERIPHERAL VISION  
UNLIKE TRADITIONAL HARD HATS**

PEAKVIEW IS A TRADEMARK OF PORTWEST.



### PV50

#### PEAK VIEW HARD HAT VENTED

EN 397 -20°C

ANSI/ISEA Z89.1 TYPE II CLASS C

- Portwest exclusive design and patented model
- Translucent shell to see through peak and sides
- UV 400 stabilised
- Vented helmet shell to allow air circulation cooling the wearer's head
- 6-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via slip ratchet system

Polycarbonate, Polyester 352g

Blue, Clear, Green, Orange, Pink, Red, Smoke, Yellow  
50cm-66cm



# RATCHET HARD HAT

20

UK  
CA

CE

## PV60

### PEAK VIEW RATCHET HARD HAT VENTED

EN 397 -20°C

ANSI/ISEA Z89.1 TYPE II CLASS C

- Portwest exclusive design and patented model
- Translucent shell to see through peak and sides
- UV 400 stabilised
- Vented helmet shell to allow air circulation cooling the wearer's head
- 6-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system

Polycarbonate, Polyester 390g

Blue, Clear, Green, Orange, Pink, Red, Smoke, Yellow  
50cm-66cm



20

UK  
CA

CE

## PV64

### PEAK VIEW PLUS RATCHET HARD HAT

EN 397 440 VAC/-20°C

ANSI/ISEA Z89.1 TYPE II CLASS G

- Portwest exclusive design and patented model
- Translucent shell to see through peak and sides
- UV 400 stabilised
- Unvented helmet shell for safe use with electrical applications
- 6-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system

Polycarbonate, Polyester 390g

Blue, Clear, Green, Orange, Pink, Red, Smoke, Yellow  
50cm-66cm



## ADJUSTABLE WHEEL RATCHET



# HEIGHT ENDURANCE HELMET



## PS73

### HEIGHT ENDURANCE MOUNTAINEER HELMET

EN 12492

EN 397 (Impact / Penetration / -30°C)

- Specially designed for working at height
- Chin strap included
- Size adjustable headband via wheel ratchet system
- Hi-Visibility colour for visibility in daylight
- Light and robust
- Compatible accessories available

ABS, EPS (Expanded Polystyrene) 450g  
Hi-Vis Orange, Red, Royal Blue, White, Hi-Vis Yellow  
52-63 cm



## PS63

### HEIGHT ENDURANCE VENTED HELMET

EN 397 -30°C / +50°C

- Specially designed for working at height
- Vented helmet shell to allow air circulation cooling the wearer's head
- 4-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system
- Chin strap included
- Light and robust

ABS 410g  
Hi-Vis Orange, Royal Blue, White, Hi-Vis Yellow  
52cm-63cm



## PS53

### HEIGHT ENDURANCE HELMET

EN 397 -30°C / +50°C

EN 50365 CLASS:0

ANSI/ISEA Z89.1 TYPE I CLASS E

- Specially designed for working at height
- Electrical insulation up to 1000Vac or 1500Vdc (EN 50365)
- Unvented helmet shell for safe use with electrical applications
- 6-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system
- Chin strap included

ABS 424g  
Black, Hi-Vis Orange, Royal Blue, White, Hi-Vis Yellow  
52cm-63cm



# ENDURANCE HELMET



INTEGRATED EYE SHIELD



**PW54**

## ENDURANCE PLUS VISOR HELMET

EN 397 -30°C/+50°C, MM, LD, 440V A.C.  
EN 50365 CLASS:0  
EN 166 1 FT  
ANSI/ISEA Z89.1 TYPE I CLASS E

- Unvented helmet shell for safe use with electrical applications
- Electrical insulation up to 1000Vdc or 1500Vdc (EN 50365)
- 6-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system
- Retractable clear visor included
- Chin strap included

ABS, Polycarbonate 446g  
Orange, Red, Royal Blue, White, Yellow  
56cm-63cm



**PS54**

## ENDURANCE PLUS HELMET

EN 397 -30°C / +50°C, MM LD 440V A.C.  
EN 50365 CLASS:0  
ANSI/ISEA Z89.1 TYPE I CLASS E  
AS/NZS 1801

- Unvented helmet shell for safe use with electrical applications
- Electrical insulation up to 1000Vdc or 1500Vdc (EN 50365)
- 6-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system
- Chin strap included
- Compatible accessories available

ABS 416g  
Hi-Vis Orange, Royal Blue, White, Hi-Vis Yellow  
56cm-63cm



INTEGRATED EYE SHIELD



**PW55**

## ENDURANCE VISOR HELMET

EN 397 -30°C/+50°C, LD  
EN 166 1 FT

- Vented helmet shell to allow air circulation cooling the wearer's head
- 6-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system
- Chin strap included
- Retractable clear visor included
- Compatible accessories available

ABS, Polycarbonate 446g  
Orange, Red, Royal Blue, White, Yellow  
56cm-63cm



**PS55**

## ENDURANCE HELMET

EN 397 -30°C/+50°C, LD  
ANSI/ISEA Z89.1 TYPE I CLASS C  
AS/NZS 1801

- Vented helmet shell to allow air circulation cooling the wearer's head
- 6-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system
- Chin strap included
- Compatible accessories available
- Available in multiple colourways

ABS 416g  
Hi-Vis Orange, Royal Blue, White, Hi-Vis Yellow  
56cm-63cm

VENTED FOR EXTRA AIR-FLOW



# SPECIALITY HELMET



**PB55**

## ENDURANCE BADGE HOLDER HELMET

EN 397 -30°C/+50°C, LD

- Vented helmet shell to allow air circulation cooling the wearer's head
- Badge holder for easy clipping of your ID card
- Instant user/wearer recognition
- 6-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system
- Compatible accessories available

ABS, Polycarbonate 484g  
Hi-Vis Orange, Red, Royal Blue, White, Hi-Vis Yellow  
56cm-63cm



**PV74**

## SKYVIEW SAFETY HELMET

EN 397 -30°C / +50°C, LD, 440V A.C.  
EN 50365 CLASS:0

- Translucent peak to see through and protect against UV rays
- Unvented helmet shell for safe use with electrical applications
- 6-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system
- Chin strap included
- Soft foam sweat band included

ABS, Polycarbonate 424g  
Hi-Vis Orange, Royal Blue, White, Hi-Vis Yellow  
54cm-63cm



SECURE COMFORTABLE FIT FOR THE WEARER

# SPECIALITY HELMET



**PW98**

## FORESTRY COMBI KIT

EN 397 -30°C/+50°C, LD

EN 352-3

EN 1731 F

ANSI/ISEA Z89.1 TYPE I CLASS C

ANSI S3.19 (EAR MUFF)

ANSI/ISEA Z87.1 (VISOR HOLDER + MESH VISOR)

- Vented helmet shell to allow air circulation cooling the wearer's head
- 6-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system
- Chin strap included
- Soft foam sweat band included
- Replacement accessories available



ABS, Stainless Steel, Polystyrene, PU 795g

Orange

56cm-63cm



**PG54**

## ENDURANCE GLOWTEX HELMET

EN 397 -30°C/+50°C, MM, LD, 440V A.C.

EN 50365 CLASS:0

- Unvented helmet shell for safe use with electrical applications
- Glow effect in the dark thanks to photo-luminescent additive
- Electrical insulation up to 1000Vac or 1500Vdc (EN 50365)
- 6-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system
- Chin strap included



ABS 472g

White

56cm-63cm



**GLOWS IN THE DARK**



**PC55**

## ENDURANCE CARBON LOOK HELMET

EN 397 -30°C/+50°C, LD

- Vented helmet shell to allow air circulation cooling the wearer's head
- Innovative eye catching carbon fibre design
- 6-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system
- Chin strap included
- Compatible accessories available

ABS 465g

Grey

56cm-63cm



**NEW AND INNOVATIVE  
HYDRO DIPPED PAINT**



# HELMET



## PW51

### EXPERTBASE PRO SAFETY HELMET

EN 397 -10°C/+50°C

- ABS shell with extended peak to minimise glare
- 4-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via slip ratchet system
- Soft foam sweat band included
- Compatible accessories available
- Up to 7 years lifetime from manufacturing date (as long as undamaged)

ABS, Nylon 366g  
Royal Blue, White  
55cm-62cm



## PW97

### MONTEROSA SAFETY HELMET

EN 397 -30°C / +50°C

- Vented helmet shell to allow air circulation cooling the wearer's head
- 6-point plastic suspension harness for wearing comfort, safety and easy cleaning
- Size adjustable headband via slip ratchet system
- Chin strap included
- Soft foam sweat band included
- Lightweight and comfortable

PE 358g  
Royal Blue, White, Yellow  
52cm-62cm



## PS52

### FULL BRIM FUTURE HELMET

EN 397 -10°C/+50°C

ANSI/ISEA Z89.1 TYPE I CLASS E

- Full brim hard hat: its wide profile provides extra protection against sun, glare, rain, debris and non-toxic splashes
- 4-point plastic suspension harness for wearing comfort, safety and easy cleaning
- Size adjustable headband via wheel ratchet system
- Soft foam sweat band included
- Up to 7 years lifetime from manufacturing date (as long as undamaged)
- CE certified

PP, Polyethylene 465g  
White  
52cm-63cm



# HELMET



## PW50

### EXPERTBASE SAFETY HELMET

EN 397 -10°C/+50°C, LD, 440V A.C.

EN 50365 CLASS:0

- Unvented helmet shell for safe use with electrical applications
- Electrical insulation up to 1000Vac or 1500Vdc (EN 50365)
- 4-point plastic suspension harness for wearing comfort, safety and easy cleaning
- Size adjustable headband via slip ratchet system
- Soft foam sweat band included
- Available in multiple colourways



PP, PE 366g

Black, Green, Orange, Red, Royal Blue, White, Yellow  
55cm-62cm



## LIGHTWEIGHT HEAD PROTECTION



## PS57

### EXPERTBASE WHEEL SAFETY HELMET

EN 397 -10°C / +50°C, LD, 440V A.C.

EN 50365 CLASS:0

- Unvented helmet shell for safe use with electrical applications
- Electrical insulation up to 1000Vac or 1500Vdc (EN 50365)
- 4-point textile suspension harness for enhanced wearing comfort and safety
- Size adjustable headband via wheel ratchet system
- Soft foam sweat band included
- Available in multiple colourways



PP, PE, Woven Webbing, Nylon 350g

Orange, Red, Royal Blue, White, Yellow  
55cm-62cm



## PS50

### ARROW SAFETY HELMET

EN 397 -10°C/+50°C

ANSI/ISEA Z89.1 TYPE I CLASS C

- Vented helmet shell to allow air circulation cooling the wearer's head
- Helmet shell with rain gutter
- 6-point plastic suspension harness for wearing comfort, safety and easy cleaning
- Size adjustable headband via slip ratchet system
- Lightweight and comfortable
- Compatible accessories available

HDPE, PE 326g

Royal Blue, White, Yellow  
53cm-65cm





# HEAD PROTECTION ACCESSORIES



## PA55 REPLACEMENT HELMET SWEATBAND



- Easy to fit
- Made of soft foam material for extra comfort
- Retail bag which aids presentation for retail sales

~~~~~ Foam  
~~~~~ Black



## PA45 SWEATBAND ENDURANCE



- Technical sweatband made of acrylic
- Easy to clip-on
- Retail bag which aids presentation for retail sales

~~~~~ Acrylic  
~~~~~ Black



## PA44 SWEATBAND EXPERTBASE



- Easy to fit
- Made of soft foam material for extra comfort
- Retail bag which aids presentation for retail sales

~~~~~ PU  
~~~~~ Black



## PA47 CHIN STRAP 4 EXPERTBASE



- Y-style 4-point chin strap
- Easy to clip-on
- Buckle size adjustment for easy fitting
- Chin guard for added comfort and stability
- Sold in packs of 5
- Retail bag which aids presentation for retail sales

~~~~~ Nylon, PP 39g  
~~~~~ Black



## PA48 CHIN STRAP 4 ENDURANCE



- Y-style 4-point chin strap
- Easy to clip-on
- Buckle size adjustment for easy fitting
- Sold in packs of 5
- Retail bag which aids presentation for retail sales

~~~~~ Nylon 20g  
~~~~~ Black



## PA49 CHIN STRAP 4 HEIGHT ENDURANCE



- Y-style 4-point chin strap
- Easy to clip-on
- Buckle size adjustment for easy fitting
- Chin guard for added comfort and stability

~~~~~ Nylon 150g  
~~~~~ Black



## PW53 CHIN STRAP

- Easy to clip-on
- Chin guard for added comfort and stability
- Buckle size adjustment for easy fitting

~~~~~ Nylon, PP 150g  
~~~~~ Black



## PA58 HELMET WINTER LINER

- Lined for added warmth and comfort
- Hook and loop strap for safe secure fit
- Back elastic for ease of movement
- Compatible with most hard hats

~~~~~ Cotton, Polyester 150g  
~~~~~ Black, Navy



## HA18 HELMET LINER CAP

- Moisture wicking fabric helping to keep the body cool and dry
- 4-way stretch fabric for ease of movement and added comfort

~~~~~ 92% Polyester, 8% Elastane, 240g  
~~~~~ Black

# HEAD PROTECTION ACCESSORIES



## PA08 NECK COVER

- Easy to fit
- Hi-Visibility colour for visibility in daylight
- Sold in packs of 5

PTFE  
Orange



## PW58 HELMET VISOR CARRIER

EN 166 3 B  
EN 1731 F  
ANSI/ISEA Z87

- Suitable for most standard hard hats
- Easy mounting to helmets via flexible rubber coated spring
- Stand-off position for intermittent use
- Simple and secure visor replacement

Polyoxymethylene,  
Polycarbonate 120g  
Black



## PS58 HELMET VISOR HOLDER

EN 166 F  
EN 1731 F  
ANSI/ISEA Z87

- Universal slot adapter
- Easy to clip-on
- Can be put in stand-off position for intermittent use

ABS 85g  
Black



## PA03 HEIGHT ENDURANCE VISOR

EN 166 1 F  
EN 170 2C-1.2 (CLEAR)  
EN 172 5.2 (SMOKE)

- One piece curved lens with moulded nose-bridge
- Light and robust
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer

Polycarbonate 72g  
Clear, Smoke



## PW56 ENDURANCE VISOR REPLACEMENT

EN 166 1 FT

- Highly durable and impact resistant
- Easy to fit
- Anti-scratch coating for added durability
- Anti-fog coating for additional comfort to the wearer

Polycarbonate  
Clear



## PA91 REFLECTIVE STICKERS PACK

- Suitable for most standard type of hard hats
- High quality reflective stickers with honeycomb pattern for better visibility
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

PET  
Red, Silver  
15cm x 15cm



## ID12 MEDICAL INFORMATION CONTACT

- Language free
- Instant user/wearer recognition
- Instant access to potentially life saving information
- Write on both sides to include more information

PVC  
Red



## ID10 ID HOLDER

- Water resistant holder with waterproof paper
- Information is held securely
- Write on both sides to include more information
- Hi-Vis reflective ID holder for easy recognition

PVC  
Yellow



## PA04 UNIVERSAL HEAD LIGHT SAFETY HELMET CLIPS

- Securely mounts head light to safety helmet
- Provides hands free action
- Reliable fit that prevents head light from fall related damage
- Compatible with most hard hats

ABS  
Black  
4.2cm x 1.7cm x 1cm



# HELMET MOUNTED LIGHTS

The Portwest lights range is designed to provide premium quality, high performance lighting for increased safety. Efficient run times and optimum brightness ensure a long lasting, reliable, multifunctional solution for all your needs. Our compact and ergonomic designed offering gives the user total dependability and versatility in hard working environments.



## Brightness

Brightness is measured in lumens (LM). This icon denotes how many lumens each light can produce allowing you to pick the right light for the right job.



## Run time

Run time means the amount of time you can expect to get from your light from fully powered to empty. This allows you to choose the right ratio of brightness to run time to suit you best.



USB Rechargeable Lights will fully charge from any USB Port.



## HV29

### MAGNETIC USB RECHARGEABLE HELMET LIGHT

ROHS CE

- Magnetic housing makes it easy to put on and remove
- Adhesive backing to attach housing to helmets
- Compatible with most hard hats
- USB rechargeable li-ion battery
- Brightness 150 lumens
- Function high-medium-flash

ABS  
Black

6.5cm x 4.5cm x 2.5cm

NEW



## INNOVATIVE LIGHTING SOLUTIONS



# LIGHTS

**NEW**



72  
36

**HV14**

## 360° ILLUMINATING HELMET BAND LIGHT

ROHS CE

- Adhesive backing to attach housing to helmets
- Flexible fibre optic cable
- Run time 6 hours
- USB rechargeable li-ion battery
- Function high flash-low flash-solid

ABS, PVC  
Black

5.5cm x 3.5cm x 1.8cm

10LM

6HRS

USB



200  
50

**PA72**

## LED CAP LIGHT

ROHS CE

- Brightness 100 lumens
- Run time 2/4 hours
- USB rechargeable
- Recharge time 3 hours
- Function high-medium-red-flash
- Micro USB charging cable included

ABS  
Black

8.3cm x 5.5cm x 2.5cm

100LM

2/4HRS

USB



x24  
30

**PA06**

## HELMET TORCH CLIP

- Securely mounts your torch to a safety helmet
- Compatible with PA54, PA68 and PA75 torches
- Compatible with PS51, Endurance, Height Endurance and Peak View Hard Hat

ABS  
Black

6cm x 3.5cm x 3cm



72  
6

**PA54**

## TACTICAL TORCH

ROHS CE

- Brightness 180 lumens
- Beam distance 300m (high), 150m (medium)
- Run time 8 hours
- Function high-medium-flash
- Batteries Included AAA x 3
- Wrist strap for secure handling

Aluminium  
Black

13.7cm x 3.5cm

180LM

8HRS



96  
12

**PA68**

## HIGH POWERED POCKET TORCH

ROHS CE

- Brightness 300 lumens
- Run time 4 hours
- Batteries Included AA x 1
- Function high-medium-flash
- Beam distance 150m
- Wrist strap for secure handling

Aluminium  
Black

9cm x 2.5cm

300LM

4HRS



72  
6

**PA75**

## USB RECHARGEABLE TORCH

ROHS CE

- Brightness 600 lumens
- Run time 4 hours
- USB rechargeable
- Recharge time 3 hours
- Function high-medium-low-sos-flash
- Power bank capacity 2200mAh

Aluminium  
Black

15cm x 3.5cm

600LM

4HRS

USB

POWER BANK FUNCTION  
CAN BE CHARGED USING  
A MOBILE PHONE

POWERFUL PORTABLE LIGHTING SOLUTIONS



## BUMP CAPS

Bump Caps can reduce the risk of head injuries in the workplace by providing head protection against minor bumps and scrapes.

Combining the comfort and style of a sport cap with the added protection of a plastic protective shell and soft pads, Portwest Bump Caps provide a light weight, comfortable solution to head protection. The fashionable design also means it is a form of safety wear that employees will actually want to wear.

### **EN812:2012 - Industrial Bump Caps**

European standard for bump caps for industry, describing mandatory impact and penetration tests.

# BUMP CAP



## PW29

### USB RECHARGEABLE LED BUMP CAP

EN 812 CE  
ROHS

- Equipped with a removable and USB rechargeable light
- Inner ABS shell and soft pad for shock absorption
- Durable high density EVA protects and gives comfort to the wearer
- Brightness 150 lumens
- USB rechargeable li-ion battery
- Run time 2 hours high, 4 hours low

Cotton, ABS, EVA 170gm  
 Navy  
54cm-59cm



## PW89

### SHORT PEAK BUMP CAP

EN 812

- Short peak (3cm) for better visibility
- Inner ABS shell and soft pad for shock absorption
- Durable high density EVA protects and gives comfort to the wearer
- Hook and loop strap for safe secure fit
- Padded headband for comfort
- CE certified

Cotton, ABS, EVA Foam 145g  
 Black, Navy  
54cm-59cm





# BUMP CAP



**PS59**

## AIRTECH BUMP CAP EN 812

- Mid peak (5cm) ideal for all uses
- Hi-Visibility colour for visibility in daylight
- Cooling mesh fabric for increased breathability
- Inner ABS shell and soft pad for shock absorption
- Reflective piping for increased visibility
- Buckle size adjustment for easy fitting

Nylon, ABS, EVA 170g  
Black, Navy  
Hi-Vis Orange, Hi-Vis Yellow  
54cm-59cm

**NEW  
COLOUR**



**PS69**

## AIRTECH BUMP CAP MICRO PEAK EN 812

- New style
- Micro peak (2.5cm) for better visibility and for use in confined spaces
- Cooling mesh fabric for increased breathability
- Inner ABS shell and soft pad for shock absorption
- Reflective piping for increased visibility
- Buckle size adjustment for easy fitting

Nylon, ABS Plastic Shell, EVA Foam 164g  
Black, Navy  
54cm-59cm

**NEW**



## INNER SHELL

HIGH QUALITY ABS  
SHELL provides  
excellent protection

Fully vented for  
breathability



OUTER CAP made from heavy  
duty cotton twill

BUCKLE  
adjustment

INNER SOFT PAD for  
extra comfort and  
shock absorption



# BUMP CAP



NEW  
COLOUR

40  
10

**PW59**

## PORTWEST BUMP CAP

EN 812

- Long peak (7cm) for maximum protection against shock and light
- Durable high density EVA protects and gives comfort to the wearer
- Inner ABS shell and soft pad for shock absorption
- Hook and loop strap for safe secure fit

Cotton, ABS, EVA 162g  
Black, Grey, Navy, Royal Blue  
54cm-59cm



NEW  
COLOUR

40  
10

**PW79**

## LONG PEAK BUMP CAP

EN 812

- Long peak (7cm) for maximum protection against shock and light
- Hi-Visibility colour for visibility in daylight
- Durable high density EVA protects and gives comfort to the wearer
- Inner ABS shell and soft pad for shock absorption

Cotton, Mesh, ABS, EVA 162g  
Navy, Hi-Vis Orange, Hi-Vis Yellow  
54cm-59cm



40  
10

**PW69**

## VENT COOL BUMP CAP

EN 812

- Long peak (7cm) for maximum protection against shock and light
- Inner ABS shell and soft pad for shock absorption
- Durable high density EVA protects and gives comfort to the wearer
- Hook and loop strap for safe secure fit

Cotton, Mesh, ABS, EVA 162g  
Black, Grey, Navy, Red  
54cm-59cm



NEW

40  
10

**PS89**

## ULTRA LIGHT BUMP CAP

EN 812

- Lightweight and comfortable
- 4 points plastic suspension harness
- Soft foam sweat band included
- Buckle size adjustment for easy fitting
- CE certified
- Retail bag which aids presentation for retail sales

HDPE, LDPE 240g  
Orange, Royal Blue, White, Yellow  
50cm-60cm



## INNER SHELL

HIGH QUALITY ABS  
SHELL provides  
excellent protection

SIDE VENTILATION  
HOLES for  
breathability

OUTER SOFT PAD for comfort and  
shock absorption

HOOK & LOOP  
STRAP for  
adjustment

INNER SOFT PAD for extra comfort  
and shock absorption

OUTER CAP  
made from  
heavy duty  
cotton twill



NOTE: Bump Caps protect against impacts from knocks against structures and objects. They don't protect against falling objects and in all cases where a Safety Helmet is required.



# HEARING PROTECTION

Portwest's hearing protection range includes PPE with different level sound attenuation, to be adapted to various working environments giving the correct protection from dangerous noise, without isolating the workers. This range of earmuffs offers a variety of models and colours allowing a personalised choice.



## EN 352-1: 2020

Hearing Protectors - Ear Muffs

## EN 352-2: 2020

Hearing Protectors - Ear Plugs

## EN 352-3: 2020

Hearing Protectors - Helmet Mounted Ear Muffs

## EN 352-4: 2020

Hearing Protectors - Level Dependent Ear Muffs

## EN 352-8: 2020

Earmuffs with Entertainment Radio

All these standards establish requirements with regards to the manufacture, design, performances and test methods.

· SNR (Simplified Noise Reduction):  
Single average value of attenuation.

HML : Attenuation values expressed in terms of average levels of frequencies:  
H : Attenuation of PPE at high frequencies (pitched noises).  
M : Attenuation of PPE at medium frequencies.  
L : Attenuation of PPE at low frequencies (bass sounds).



ANSI S3.19 1974 American National Standard - Methods for Hearing Protection Measurement

This standard specifies the test method for determining the level of noise attenuation (NRR Noise Reduction Rating) of the hearing protection, as recommended by the EPA (U.S. Environmental Protection Agency).



AS/NZS 1270 2002 Australian and New Zealand standard for Hearing Protectors Devices.

This standard specifies the attenuation offered by a hearing protection device through Sound Level Conversion (SLC80).

The PPE Regulation (EU) 2016/425 has a risk approach which defines harmful noise as a risk that may cause very serious hearing injuries. As a result, the Regulation has re-categorized hearing protection from Category 2 Risk PPE (Intermediate) to Category 3 Risk (Complex).

The Control of Noise at Work Regulations 2005.

The Noise Regulation 2005 requires employers to prevent or reduce risks to health and safety from exposure to noise at work. It asks to take specific actions and defines action levels and limit values of exposure to noise:

|                                                      | Daily / Weekly average exposure to noise | Peak Sound pressure |
|------------------------------------------------------|------------------------------------------|---------------------|
| LOWER EXPOSURE ACTION VALUES                         | 80dB                                     | 135dB               |
| UPPER EXPOSURE ACTION VALUES                         | 85dB                                     | 137dB               |
| LEVELS OF NOISE EXPOSURE THAT MUST NEVER BE EXCEEDED | 87dB                                     | 140db               |

## How To Protect Yourself?

### 4 Steps To Choose The Appropriate Hearing Protection.

1. Identify the nature of the noise: stable, fluctuating, intermittent or pulse.
2. Measure the noise at the working station: intensity (dB) and volume (Hz).
3. Determine the exposure time.
4. Calculate the required attenuation needed. The attenuation level offered by the hearing protector should bring the noise to a level that is not harmful to health whilst avoiding over-protection which would isolate the worker.

## Do You Value Your Hearing?



# HELMET MOUNTED EAR DEFENDERS

40  
10

**PS45**

## PREMIUM CLIP-ON EAR PROTECTOR

EN 352-3 SNR 25DB

- Easy to clip-on
- Adjustable dual pin system provides multiple positioning for better fit
- Can be put in stand-off position for intermittent use
- Suitable for most standard type of hard hats



ABS, PU, PVC, Polyoxymethylene, Stainless Steel 311g  
Grey



**SNR 25dB**

H: 29 dB  
M: 24 dB  
L: 14 dB



30  
10

**PW62**

## HV EXTREME EAR MUFF HELMET MOUNTED

EN 352-3 SNR 33DB

- Excellent attenuation rate
- Easy to clip-on
- Adjustable dual pin system provides multiple positioning for better fit
- Contrast colouring for added style
- Compatible with Endurance Helmets
- Compatible with Height Endurance Helmets



ABS, PU Foam, Neoprene, Carbon Steel, Nylon, Foam  
309g

Grey/Orange



**SNR 33dB**

H: 36 dB  
M: 30 dB  
L: 23 dB



40  
10

**PW42**

## CLIP-ON EAR PROTECTOR

EN 352-3 SNR 26DB  
ANSI S3.19 NRR 22DB

- Easy to clip-on
- Adjustable dual pin system provides multiple positioning for better fit
- Can be put in stand-off position for intermittent use
- Compatible with Expertbase Helmets
- CE-CAT III
- Retail bag which aids presentation for retail sales



HIPS (High Impact Polystyrene), Stainless Steel, PVC 271g  
Red, Yellow



**SNR 26dB**

H: 29 dB  
M: 24 dB  
L: 14 dB



40  
10

**PS47**

## ENDURANCE HV CLIP-ON EAR PROTECTOR

EN 352-3  
ANSI S3.19 NRR 24DB  
AS/NZS 1270 SLC(80) 22DB - CLASS 4

- Compatible with most helmets
- Excellent attenuation rate
- Easy to clip-on
- Hi-Visibility colour for visibility in daylight



ABS, Polystyrene, PU, Stainless Steel 271g  
Hi-Vis Orange, Hi-Vis Yellow



PW47 / PS47

Attenuation Levels

Endurance Helmets

Height Endurance Helmets

40  
10

**PW47**

## ENDURANCE CLIP-ON EAR PROTECTOR

EN 352-3  
ANSI S3.19 NRR 24DB  
AS/NZS 1270 SLC(80) 22DB - CLASS 4

- Compatible with most helmets
- Excellent attenuation rate
- Easy to clip-on
- Adjustable dual pin system provides multiple positioning for better fit



ABS, Polystyrene, PU, Stainless Steel 271g  
Red



**SNR 25dB**

H: 29 dB  
M: 23 dB  
L: 14 dB

Peak View Helmets

**SNR 27dB**

H: 29 dB  
M: 25 dB  
L: 14 dB





# HEADBAND EAR DEFENDERS

40  
10

UK  
CA

CE

CE

CE

CE

CE

CE

## PS46

### PREMIUM EAR MUFF

EN 352-1 SNR 34DB

- Padded headband for comfort
- Adjustable dual pin system provides multiple positioning for better fit
- SNR 34dB attenuation level
- Light and robust
- Retail bag which aids presentation for retail sales

ABS, PU Foam, PVC 307g  
Grey



30  
10

UK  
CA

CE

CE

CE

CE

CE

CE

## PS43

### HV EXTREME EAR MUFF

EN 352-1 SNR 36DB  
ANSI S3.19 NRR 30DB

- New style
- Excellent attenuation rate
- Padded headband for comfort
- Reflective trim for increased visibility and safety
- Adjustable dual pin system provides multiple positioning for better fit
- Contrast colouring for added style

ABS, PU Foam, Neoprene,  
Carbon Steel, Nylon, Foam 322g  
Grey



NEW

SNR  
34dB

H: 34 dB  
M: 32 dB  
L: 24 dB

SNR  
36dB

H: 36 dB  
M: 34 dB  
L: 27 dB

40  
10

UK  
CA

CE

CE

CE

CE

CE

CE

## PS41

### SUPER HV EAR PROTECTOR

EN 352-1 SNR 30DB  
ANSI S3.19 NRR 25DB  
AS/NZS 1270 SLC(80) 31DB - CLASS 5

- Hi-Visibility colour for visibility in daylight
- Folds to palm size for better carriage and to keep clean
- Lightweight and comfortable
- Adjustable dual pin system provides multiple positioning for better fit

HIPS (High Impact Polystyrene),  
PU Foam, Polyoxymethylene,  
Stainless Steel 257g  
Hi-Vis Yellow



40  
10

UK  
CA

CE

CE

CE

CE

CE

CE

## PS48

### PORTWEST SLIM EAR MUFF

EN 352-1 SNR 22DB

- Ultra light and compact ear muff
- Folds to palm size for better carriage and to keep clean
- Adjustable dual pin system provides multiple positioning for better fit
- Less cumbersome and lightweight with ultra slim cups

HIPS (High Impact Polystyrene),  
Polyoxymethylene, PVC 184g  
Red



SNR  
30dB

H: 33 dB  
M: 28 dB  
L: 21 dB

SNR  
22dB

H: 20 dB  
M: 19 dB  
L: 12 dB

40  
10

UK  
CA

CE

CE

CE

CE

CE

CE

## PW41

### SUPER EAR PROTECTOR

EN 352-1 SNR 30DB  
ANSI S3.19 NRR 25DB  
AS/NZS 1270 SLC(80) 31DB - CLASS 5

- Folds to palm size for better carriage and to keep clean
- Lightweight and comfortable
- Adjustable dual pin system provides multiple positioning for better fit
- Retail bag which aids presentation for retail sales
- Individually packed for vending machines

HIPS (High Impact Polystyrene), PU Foam,  
Polyoxymethylene, Stainless Steel 257g  
Red, Yellow



SNR  
30dB

H: 33 dB  
M: 28 dB  
L: 21 dB

**PS44****TOP EAR MUFF**

EN 352-1 SNR 33dB

- Folds to palm size for better carriage and to keep clean
- Lightweight and comfortable
- Padded headband for comfort
- Adjustable length for a secure and comfortable fit

ABS, Foam 297g  
Black



SNR  
33dB

H: 34 dB  
M: 31 dB  
L: 24 dB

**PW43****COMFORT EAR PROTECTOR**EN 352-1 SNR 32DB  
ANSI S3.19 NRR 26DB

- Ultra light and compact ear muff
- Padded headband for comfort
- Adjustable length for a secure and comfortable fit
- Light and robust

ABS, Polystyrene 226g  
Black



SNR  
32dB

H: 34 dB  
M: 30 dB  
L: 23 dB

**PW48****PW CLASSIC PLUS EAR MUFF**

EN 352-1 SNR 28DB

- Ultra lightweight for long uses
- Padded headband for comfort
- Adjustable length for a secure and comfortable fit
- 100% metal free

ABS, Polyoxymethylene, PVC 168g  
Red, Yellow



SNR  
28dB

H: 30 dB  
M: 25 dB  
L: 16 dB

**PW40****CLASSIC EAR PROTECTOR**EN 352-1 SNR 28DB  
ANSI S3.19 NRR 22DB  
AS/NZS 1270 SLC(80) 28DB - CLASS 5

- Ultra light and compact ear muff
- Adjustable length for a secure and comfortable fit
- 100% metal free
- Retail bag which aids presentation for retail sales

ABS, Polycarbonate, PVC 157g  
Red, Yellow



SNR  
28dB

H: 29 dB  
M: 25 dB  
L: 16 dB





# EAR PLUGS



## EP02 PU FOAM EAR PLUGS (200 PAIRS)

EN 352-2 SNR 36dB

ANSI S3.19 32DB

AS/NZS 1270 SLC(80) 19DB - CLASS 3

- Disposable ear plugs made from soft PU foam
- Easy to fit
- One pair per polybag for hygienic storage
- Supplied in a handy portable dispenser box
- Excellent attenuation rate

PU Foam  
Orange

2



H: 24 dB  
M: 22 dB  
L: 32 dB



## EP08 CORDED PU FOAM EAR PLUGS (200 PAIRS)

EN 352-2 SNR 36dB

ANSI S3.19 NRR 32DB

AS/NZS 1270 SLC(80) 19DB - CLASS 3

- Disposable ear plugs made from soft PU foam
- Corded for safe keeping
- Easy to fit

PU Foam, PVC  
Orange

2



H: 24 dB  
M: 22 dB  
L: 32 dB



## EP06 BELL COMFORT PU FOAM EAR PLUGS (200 PAIRS)

EN 352-2 SNR 34dB

ANSI S3.19 NRR 32DB

- Disposable ear plugs made from soft PU foam
- Ergonomically designed for comfort and ease of use
- One pair per polybag for hygienic storage
- Excellent attenuation rate
- Supplied in a handy portable dispenser box

PU Foam  
Orange

2



H: 33 dB  
M: 31 dB  
L: 30 dB



## EP30 DETECTABLE CORDED PU EAR PLUGS (200 PAIRS)

EN 352-2 SNR 36dB

ANSI S3.19 NRR 32DB

AS/NZS 1270 SLC(80) 19DB - CLASS 3

- Can be used in food industries (metal detectable)
- Disposable ear plugs made from soft PU foam
- Corded for safe keeping

PU Foam, PVC, Carbon Steel  
Blue

2



H: 24 dB  
M: 22 dB  
L: 32 dB

## EP20 EAR PLUG DISPENSER

EN 352-2 SNR 34dB

ANSI S3.19 32DB

- Plastic dispenser with 500 pairs of ear plugs included
- Wall mountable for secure storage
- Easy to use turn wheel to dispense ear plugs
- Can stand on even surfaces

Plastic  
Black

2



H: 33 dB  
M: 31 dB  
L: 28 dB



## EP21 EAR PLUG DISPENSER REFILL PACK ( 500 PAIRS )

EN 352-2 SNR 34dB

ANSI S3.19 32DB

- Disposable ear plugs made from soft PU foam
- Easy to fit
- Excellent attenuation rate
- Retail box which aids presentation for retail sales

PU Foam  
Orange

2



H: 33 dB  
M: 31 dB  
L: 28 dB





#### EP04 REUSABLE CORDED TPR EAR PLUGS (50 PAIRS)

EN 352-2 SNR 30dB  
ANSI S3.19 NRR 24dB

- Corded for safe keeping
- One pair per polybag for hygienic storage
- Supplied in a handy portable dispenser box
- Retail box which aids presentation for retail sales
- Individually packed for vending machines

TPR, PVC  
Orange



SNR 30dB  
H: 30 dB  
M: 27 dB  
L: 25 dB



#### EP07 DETECTABLE TPR CORDED EAR PLUGS (50 PAIRS)

EN 352-2 SNR 30dB  
ANSI S3.19 NRR 24dB

- Can be used in food industries (metal detectable)
- Corded for safe keeping
- One pair per polybag for hygienic storage
- Supplied in a handy portable dispenser box
- Retail box which aids presentation for retail sales

TPR, PVC  
Blue



SNR 30dB  
H: 29 dB  
M: 28 dB  
L: 25 dB



#### EP16 BANDED EAR PLUGS

EN 352-2 SNR 26dB

- Disposable ear plugs made from soft PU foam
- Designed with a comfort fit
- Easy to fit
- One pair per polybag for hygienic storage
- Individually packed for vending machines

Polyoxymethylene, PU  
Yellow



SNR 26dB  
H: 26 dB  
M: 22 dB  
L: 20 dB



#### EP18 REPLACEMENT PODS (50 PAIRS)

EN 352-2 SNR 26dB

- Disposable ear plugs made from soft PU foam
- Designed with a comfort fit
- Easy to fit
- One pair per polybag for hygienic storage


PU  
Yellow





# LUGGAGE

The essential collection of versatile luggage pieces, suitable for travel, work or general everyday use. Robustly constructed with strong materials and resilient components. Reliability and durability guarantee 100% customer satisfaction.



**PW3**

15

**B955**

## PW3 HI-VIS RUCKSACK

- Heat applied segmented reflective tape for added visibility
- 38cm/15 laptop sleeve
- Pull string front provides extra storage
- Two mesh water bottle pockets double as multi-use pockets
- Padded mesh back panel and a breathable lumbar panel for comfortable ventilated support

100% Polyester 600D Fabric

200D PU

Yellow

47cm x 30cm x 19.5cm

Capacity 25 Litres



**25**  
LITRES

**NEW**

# LUGGAGE



**B905**

## HI-VIS RUCKSACK

- Padded double straps for added support
- Reflective tape for increased visibility
- Padded back panel for wearer comfort
- Phone pocket

100% Polyester 600D Fabric  
210T PA Coated Fabric  
Orange, Yellow  
28cm x 21cm x 43cm  
Capacity 25 Litres



**25**  
LITRES



**B904**

## QUICK RELEASE HI-VIS RUCKSACK

- Padded double straps for added support
- Reflective tape for increased visibility
- Ergonomic quick release buckle
- Padded back panel for wearer comfort
- Phone pocket

100% Polyester 600D Fabric  
210T PA Coated Fabric  
Orange  
28cm x 21cm x 43cm

QUICK RELEASE  
BUCKLE



**25**  
LITRES



**B916**

## TRIPLE POCKET BACKPACK

- Ideal backpack for day-to-day use
- Durable 1680D polyester construction
- Three main zipped compartments
- Adjustable straps for a secure fit
- Padded shoulder straps for added comfort

100% Polyester 1680D Fabric  
Polyester 210D Fabric  
Black  
35cm x 22cm x 50cm  
Capacity 35 Litres



**35**  
LITRES



# PREMIUM HOLDALL AND BAG

Portwest's premium holdall collection is constructed from high-quality premium materials with a modern and stylish design. Hardwearing and ergonomic this collection of holdalls offers the wearer excellent storage while ensuring maximum durability. Ideal for work, travel or general everyday use.



**PW3**



**B951**

## PW3 100L WATER-RESISTANT DUFFLE TROLLEY BAG

- Incredibly durable and hardwearing
- Sturdy inline wheel system
- Telescopic handle
- Webbing loops to attach extra luggage
- Detachable and adjustable ergonomic shoulder straps
- Robust base panel



Ripstop TPU  
200D PU

Black

78cm x 37cm x 35cm  
Capacity 100 Litres

**100  
LITRES**

**NEW**



# PREMIUM HOLDALL

**PW3**

**20**

**B950**

## PW3 70L WATER-RESISTANT DUFFLE BAG

- Incredibly durable and hardwearing
- Detachable and adjustable ergonomic shoulder straps
- Webbing loops to attach extra luggage
- Inner separate mesh compartment
- Robust base panel

**Ripstop TPU**  
**200D PU**  
**Black**  
 70cm x 34 x 30cm  
 Capacity 70 Litres



**NEW**

**70**  
LITRES

**20**

**B960**

## 60L DUFFLE BAG

- Ideal for carrying tools, equipment or for use as a travel bag
- Two zipped compartments
- Robust base panel
- Adjustable shoulder strap for added comfort

**100% Polyester 600D Fabric**  
**200D PU**  
**Black**  
 65cm x 25cm x 35cm  
 Capacity 60 Litres



**NEW**

**60**  
LITRES

**15**

**B914**

## BOOT BAG

- Generous storage to fit most work boots
- Carry handle for added convenience
- Integrated changing mat

**600D Polyester**  
**Black**  
 35cm x 30cm x 12cm  
 Capacity 12 Litres



**NEW**



**12**  
LITRES



# LUGGAGE AND TOOL STORAGE

**35**  
LITRES



**B903**

## TRAVEL BAG

- Ideal for carrying tools, equipment or for use as a travel bag
- Two zipped compartments
- Robust base panel
- Adjustable shoulder strap for added comfort

**100% Polyester, PVC Coated**

**Navy**

48cm x 23cm x 32cm

Capacity 35 Litres

**50**  
LITRES



**B901**

## THE HOLDALL KITBAG

- Adjustable straps for a secure fit
- Multiple side zip compartments for secure storage
- Padded double straps for added support
- Robust base panel

**100% Polyester 600D Fabric**

**190T PA Coated Fabric**

**Black**

52cm x 34cm x 28cm

Capacity 50 Litres

**65**  
LITRES



**B900**

## HOLDALL BAG

- Ideal for carrying tools, equipment or for use as a travel bag
- Two zipped compartments
- Adjustable shoulder strap for added comfort
- Robust base panel

**100% Polyester, PVC Coated**

**Black, Navy**

68cm x 25cm x 39cm

Capacity 65 Litres

**70**  
LITRES



**B910**

## WATERPROOF HOLD ALL

- Waterproof PVC construction ideal for enduring work and weather conditions
- Inner separate mesh compartment
- Adjustable shoulder strap for added comfort
- Robust base panel

**100% Polyester 45C/600D PVC Fabric**

**Black**

57cm x 34cm x 34cm

Capacity 70 Litres

# LUGGAGE AND TOOL STORAGE

70  
LITRES



**B908**

## MULTI-POCKET TRAVEL BAG

- Sturdy inline wheel system
- Multiple side zip compartments for secure storage
- Padded double straps for added support
- Robust base panel
- Telescopic handle

100% Polyester 600D Fabric,  
190T PA Coated Fabric  
Black One Size  
Capacity 70 Litres  
L73cm x W33cm x H29cm

100  
LITRES



**B907**

## THE MULTI-POCKET TROLLEY BAG

- Sturdy inline wheel system
- Telescopic handle
- Multiple side zip compartments for secure storage
- Padded double straps for added support
- Robust base panel

100% Polyester 600D Fabric  
190T PA Coated Fabric  
Black  
Capacity 100 Litres  
L60cm x W40cm x H42cm

100  
LITRES



**B909**

## TRAVEL TROLLEY BAG

- Sturdy inline wheel system
- Telescopic handle
- Three sections divided with hook and loop strip dividers
- Durable 600D polyester fabric construction
- Detachable and adjustable ergonomic shoulder straps
- Robust base panel

100% Polyester 600D Fabric  
210T PA Coated Fabric  
Black  
Capacity 100 Litres  
76cm x 37cm x 36cm

14  
LITRES



**TB02**

## OPEN TOOL BAG

- Softshell open tool bag
- Collapsible sides and removable base
- Provides easy access for all contents
- Incorporates a strengthened bar with cushion grip for ease of mobility
- Features 4 open pouches, 1 covered pocket, 1 D-ring
- 6 outer attachment loops

600D Polyester  
Black  
38cm x 20cm x 25cm  
Capacity 14 Litres



# KNEE PROTECTION

Portwest knee protection range offers knee protection to suit every situation;

- Type 1 Strap On Knee Pad
- Type 2 Strap On Knee Pad

All Portwest knee pads use premium high density material to provide the user with the best protection possible for their knees no matter what the hazard.

## TYPE 1 STRAP ON KNEE PAD



### KP60

#### THIGH SUPPORT KNEE PAD

EN 14404:2004+A1:2010 TYPE 1 LEVEL 1

- Extra support to the quadriceps above the knee with upper strap
- Hinge knee pad design for ease of movement and prevents bunching
- Thermoplastic rubber non-slip cap
- Thick gel foam padding for comfort
- Durable and hardwearing neoprene straps
- CE certified

PP Cap, TPR, 600D Polyester, SBR, EVA Foam, Gel  
Black/Orange  
33cm x 17cm



FRONT



BACK

NEW



### KP40

#### ULTIMATE GEL KNEE PAD

EN 14404:2004+A1:2010 TYPE 1 LEVEL 1

- Tough abrasion resistant PVC shell
- Thick silicone gel adapts to your kneecap
- Ergonomically designed and tested straps ensure no pinching to the back of the wearers leg
- CE certified
- Retail box which aids presentation for retail sales

PVC Shell, Nylon, EVA Foam, Neoprene  
Black  
21.5cm x 18.5cm



FRONT



BACK

PROTECT KNEES FROM HARD AND ROUGH SURFACES

# TYPE 1 STRAP ON KNEE PAD



FRONT



BACK



## KP30

### SUPER GEL KNEE PAD

EN 14404:2004+A1:2010 TYPE 1 LEVEL 0

- Ergonomically designed and tested straps ensure no pinching to the back of the wearers leg
- A strong and durable outer shell makes for a long lasting tough knee pad
- Silicone gel inserts protect joints and ensure great wearer comfort
- CE certified
- Retail box which aids presentation for retail sales

PVC Shell, Nylon, EVA Foam, Neoprene  
 Black  
22cm x 19cm x 2cm



FRONT



BACK



## KP20

### LIGHTWEIGHT KNEE PAD

EN 14404:2004+A1:2010 TYPE 1 LEVEL 0

- Breathable inner fabric allows air to circulate
- Lightweight wrap-around design
- Adjustable straps for a secure fit
- Hard wearing outer shell for protection
- A thick foam centre cushions the wearers knee
- CE certified

Nylon, EVA Foam, Plastic  
 Black  
26.5cm x 19cm x 2.5cm



FRONT



BACK



## KP50

### NON-MARKING KNEE PAD

EN 14404:2004+A1:2010 TYPE 1 LEVEL 1

- CE certified
- Hard wearing outer shell for protection
- Lightweight wrap-around design
- Adjustable straps for a secure fit
- Breathable inner fabric allows air to circulate
- A thick foam centre cushions the wearers knee

TPR, EPE Foam, Polyester  
 White  
24cm x 16cm



FRONT



BACK



## KP10

### HIGH DENSITY KNEE PAD

- Uses high density polyurethane
- Protects and cushions your knee
- Ribbed designed for stability
- Prevents water absorption in wet environments

Polyurethane  
 Black  
15.5cm x 14.5cm x 2cm



# TYPE 2 STRAP ON KNEE PAD

**NEW**



## KP33

### FLEXIBLE 3 LAYER KNEE PAD INSERTS

EN 14404:2004+A1:2010 TYPE 2 LEVEL 0

- Hexagram pattern for flexibility
- Innovative 3 layer foam protection
- Ergonomically designed to hug your knee
- Fits all Portwest knee pad pockets
- Does not impede when walking

EVA Foam

Black

24cm x 14.5cm x 1.8cm



FRONT



BACK



## S156

### PORTWEST KNEE PAD

EN 14404:2004+A1:2010 TYPE 2 LEVEL 0

- Ergonomically designed to hug your knee
- Fits all Portwest knee pad pockets
- Does not impede when walking
- Retail bag which aids presentation for retail sales
- CE certified

EVA Foam

Black

21.5cm X 16.5cm 1.5cm



FRONT



BACK



## KP44

### CE KNEE PAD

EN 14404:2004+A1:2010 TYPE 2 LEVEL 1

- Innovative standard compliant knee protection
- Ideal for tradesmen, plumbers or tilers
- Fits all Portwest knee pad pockets
- CE certified

EVA Foam

Black

24cm x 16.5cm x 2cm



FRONT



BACK

# KNEELING PAD, ELBOW PAD AND SUPPORT BELT

44  
28

## KP05 KNEELING PAD

- Lightweight EVA foam cushioning
- Reduces knee and back strain
- Integral carry handle

 EVA Foam  
 Black  
40cm x 18.5cm x 2cm



36  


## KP45 ELBOW PADS

- High density moulded front for shock protection
- Soft cushion pad on inner side provides ultra comfort
- Hook and loop strap for safe and secure fit

 TPR, Polyester, EVA Foam  
 Black  
L19cm x H14cm



FRONT



BACK

NEW

48  
12  


## PW80 SUPPORT BELT

- Supports spine, lower abdomen and back
- 8 inch wide belt designed to offer full support to the wearer
- Adjustable straps for a secure fit
- Can be worn underneath or over clothing
- Four heavy duty bonding strips with reinforced elastic for a comfortable fit
- Does not restrict movement

 Latex, Polyester  
 Black S-XL







Oilfield, Marine & Industrial Safety Suppliers

Building No. 726G, Road No. 31, Block 611  
Al Hamriya, Kingdom of Bahrain  
Tel: +973 17672111 Fax: +973 17917119